

nuudo.

Pandion

Create emotions
with lighting

nuudo.

nuudo. a brand created out of passion for high-quality finished products with innovative solutions to create a perfect light image.

With the eye of a professional and the heart of a designer, the luminaires of nuudo. are designed by our international design team.

Design, engineering and final production takes place in our own workshop in the Netherlands, so that we can guarantee the highest quality.

Unique details, versatility in compositions and trends in design make nuudo. the perfect partner for everyone who shares this passion.

Only together can we create emotion with light.

nuudo.

Pandion

MINIMALISTIC ELEGANCE

The Pandion range radiates elegance and minimalism. This nuudo. luminaire is enriched with impressive colour rendering and provides the highest level of comfort, fully reflecting the minimalist design of the Pandion.


The design of the Pandion can be put together as desired by means of the various colour options. The fittings from the Pandion range are available in black or white and these can be combined with a gold, silver, black or white reflector. The various sizes make the Pandion suitable for general lighting or accent lighting. The Pandion is available with 3, 5 or 10 light points, which makes it possible to combine these variants and create an unforgettable, artistic light creation.

With its elegant and minimalist design, the Pandion forms a unique eye-catcher and was especially designed to be used in luxury hotels, restaurants or homes.



Pandion


IN



Product information

Input voltage	230V
Power	up to 22W
Lumen output	up to 1698m
Efficiency	up to 77lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions




Product Name	Housing Color	CCT	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CRI	System Lumen	LED power	Lens
Pandion In S	White	2700K	2.11.7305 2.11.7369*	2.11.7307 2.11.7371*	2.11.7309 2.11.7373*	2.11.7311 2.11.7375*	CRI90	529lm	7W	40°
Pandion In S	Black	2700K	2.11.7313 2.11.7377*	2.11.7315 2.11.7379*	2.11.7317 2.11.7381*	2.11.7319 2.11.7383*	CRI90	529lm	7W	40°
Pandion In S	White	3000K	2.11.7321 2.11.7385*	2.11.7323 2.11.7387*	2.11.7325 2.11.7389*	2.11.7327 2.11.7391*	CRI90	569lm	7W	40°
Pandion In S	Black	3000K	2.11.7329 2.11.7393*	2.11.7331 2.11.7395*	2.11.7333 2.11.7397*	2.11.7335 2.11.7399*	CRI90	569lm	7W	40°
Pandion In M	White	2700K	2.11.7433 2.11.7497*	2.11.7435 2.11.7499*	2.11.7437 2.11.7501*	2.11.7439 2.11.7503*	CRI90	874lm	11W	40°
Pandion In M	Black	2700K	2.11.7441 2.11.7505*	2.11.7443 2.11.7507*	2.11.7445 2.11.7509*	2.11.7447 2.11.7511*	CRI90	874lm	11W	40°
Pandion In M	White	3000K	2.11.7449 2.11.7513*	2.11.7451 2.11.7515*	2.11.7453 2.11.7517*	2.11.7455 2.11.7519*	CRI90	938lm	11W	40°
Pandion In M	Black	3000K	2.11.7457 2.11.7521*	2.11.7459 2.11.7523*	2.11.7461 2.11.7525*	2.11.7463 2.11.7527*	CRI90	938lm	11W	40°
Pandion In L	White	2700K	2.11.7817 2.11.7881*	2.11.7819 2.11.7883*	2.11.7821 2.11.7885*	2.11.7823 2.11.7887*	CRI90	1619lm	22W	40°
Pandion In L	Black	2700K	2.11.7825 2.11.7889*	2.11.7827 2.11.7891*	2.11.7829 2.11.7893*	2.11.7831 2.11.7895*	CRI90	1619lm	22W	40°
Pandion In L	White	3000K	2.11.7833 2.11.7897*	2.11.7835 2.11.7899*	2.11.7837 2.11.7901*	2.11.7839 2.11.7903*	CRI90	1698lm	22W	40°
Pandion In L	Black	3000K	2.11.7841 2.11.7905*	2.11.7843 2.11.7907*	2.11.7845 2.11.7909*	2.11.7847 2.11.7911*	CRI90	1698lm	22W	40°

Article No. with * indicates that the luminaire is DALI Dimmable.



Pandion


IN TILTABLE



Product information

Input voltage	230V
Power	up to 22W
Lumen output	up to 1698lm
Efficiency	up to 77lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions




Product Name	Housing Color	CCT	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CRI	System Lumen	LED power	Lens
Pandion In M Tilttable	White	2700K	2.11.7561 2.11.7625*	2.11.7563 2.11.7627*	2.11.7565 2.11.7629*	2.11.7567 2.11.7631*	CRI90	874lm	11W	40°
Pandion In M Tilttable	Black	2700K	2.11.7569 2.11.7633*	2.11.7571 2.11.7635*	2.11.7573 2.11.7637*	2.11.7575 2.11.7639*	CRI90	874lm	11W	40°
Pandion In M Tilttable	White	3000K	2.11.7577 2.11.7641*	2.11.7579 2.11.7643*	2.11.7581 2.11.7645*	2.11.7583 2.11.7647*	CRI90	938lm	11W	40°
Pandion In M Tilttable	Black	3000K	2.11.7585 2.11.7649*	2.11.7587 2.11.7651*	2.11.7589 2.11.7653*	2.11.7591 2.11.7655*	CRI90	938lm	11W	40°
Pandion In L Tilttable	White	2700K	2.11.7945 2.11.8009*	2.11.7947 2.11.8011*	2.11.7949 2.11.8013*	2.11.7951 2.11.8015*	CRI90	1619lm	22W	40°
Pandion In L Tilttable	Black	2700K	2.11.7953 2.11.8017*	2.11.7955 2.11.8019*	2.11.7957 2.11.8021*	2.11.7959 2.11.8023*	CRI90	1619lm	22W	40°
Pandion In L Tilttable	White	3000K	2.11.7961 2.11.8025*	2.11.7963 2.11.8027*	2.11.7965 2.11.8029*	2.11.7967 2.11.8031*	CRI90	1698lm	22W	40°
Pandion In L Tilttable	Black	3000K	2.11.7969 2.11.8033*	2.11.7971 2.11.8035*	2.11.7973 2.11.8037*	2.11.7975 2.11.8039*	CRI90	1698lm	22W	40°

Article No. with * indicates that the luminaire is DALI Dimmable.



Pandion

IN TRIMLESS




Product Name	Housing Color	CCT	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CRI	System Lumen	LED power	Lens
Pandion In M Trimless	White	2700K	2.11.7689 2.11.7753*	2.11.7691 2.11.7755*	2.11.7693 2.11.7757*	2.11.7695 2.11.7759*	CRI90	874lm	11W	40°
Pandion In M Trimless	Black	2700K	2.11.7697 2.11.7761*	2.11.7699 2.11.7763*	2.11.7701 2.11.7765*	2.11.7703 2.11.7767*	CRI90	874lm	11W	40°
Pandion In M Trimless	White	3000K	2.11.7705 2.11.7769*	2.11.7707 2.11.7771*	2.11.7709 2.11.7773*	2.11.7711 2.11.7775*	CRI90	938lm	11W	40°
Pandion In M Trimless	Black	3000K	2.11.7713 2.11.7777*	2.11.7715 2.11.7779*	2.11.7717 2.11.7781*	2.11.7719 2.11.7783*	CRI90	938lm	11W	40°
Pandion In L Trimless	White	2700K	2.11.8073 2.11.8137*	2.11.8075 2.11.8139*	2.11.8077 2.11.8141*	2.11.8079 2.11.8143*	CRI90	1619lm	22W	40°
Pandion In L Trimless	Black	2700K	2.11.8081 2.11.8145*	2.11.8083 2.11.8147*	2.11.8085 2.11.8149*	2.11.8087 2.11.8151*	CRI90	1619lm	22W	40°
Pandion In L Trimless	White	3000K	2.11.8089 2.11.8153*	2.11.8091 2.11.8155*	2.11.8093 2.11.8157*	2.11.8095 2.11.8159*	CRI90	1698lm	22W	40°
Pandion In L Trimless	Black	3000K	2.11.8097 2.11.8161*	2.11.8099 2.11.8163*	2.11.8101 2.11.8165*	2.11.8103 2.11.8167*	CRI90	1698lm	22W	40°

Article No. with * indicates that the luminaire is DALI Dimmable.

Product information

Input voltage	230V
Power	22W
Lumen output	up to 1698lm
Efficiency	up to 77lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions





Minimalistic Elegance

