

Neo

# Create emotions with lighting

## nuudo.

nuudo. een merk dat ontstaan is uit passie voor hoogwaardig afgewerkte producten in combinatie met innovatieve oplossingen om een perfect lichtbeeld te creëren.

Met het oog van een vakman en het hart van een vormgever worden de armaturen van nuudo. ontworpen door ons internationale designteam.

Design, engineering en eindproductie vindt plaats in onze eigen atelier in Nederland, waardoor wij de hoogste kwaliteit kunnen waarborgen.

Unieke details, veelzijdigheid in samenstellingen en trends in vormgeving maken nuudo. de perfecte partner voor een ieder die deze passie deelt.

Alleen samen kunnen we emotie met licht creëren.

nuudo.

nuudo. a brand created out of passion for high-quality finished products with innovative solutions to create a perfect light image.

With the eye of a professional and the heart of a designer, the luminaires of nuudo. are designed by our international design team.

Design, engineering and final production takes place in our own workshop in the Netherlands, so that we can guarantee the highest quality.

Unique details, versatility in compositions and trends in design make nuudo. the perfect partner for everyone who shares this passion.

Only together can we create emotion with light.

nuudo.

# Neo

## MODULAR SIMPLICITY

De eenvoud van dit strakke design geeft de Neo-serie een luxe uitstraling. Hoogwaardig afgewerkt, met oog voor detail. En door de inbouw, opbouw en pendelarmaturen in dezelfde stijl uit te voeren creëer je rust en eenheid in de verschillende ruimtes.

De Neo serie is door haar strakke design én diversiteit in armaturen geschikt voor veel verschillende doeleinden. Denk bijvoorbeeld aan luxe woningen, kantoren, ...

The simplicity of this sleek design gives the Neo series a luxurious appearance. High-quality finished, with an eye for detail. And by designing the recessed, surface-mounted and pendant luminaires in the same style, you create peace and unity in the different spaces.

The Neo series is suitable for many different purposes due to its sleek design and diversity in fixtures. Consider, for example, luxury homes, offices,....















Neo  
POINT



Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | up to 33,7W   |
| Lumen output            | up to 2452lm  |
| Efficiency              | up to 76lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

Dimensions



Neo Point

| Article No.            | Product Name | Diameter | Lumen  | Housing Color | CCT   | CRI   | Power | Lens |
|------------------------|--------------|----------|--------|---------------|-------|-------|-------|------|
| 2.11.7155 / 2.11.7163* | Neo Point S  | Ø30mm    | 390lm  | White         | 2700K | >90Ra | 6,2W  | 30°  |
| 2.11.7156 / 2.11.7164* | Neo Point S  | Ø30mm    | 390lm  | Black         | 2700K | >90Ra | 6,2W  | 30°  |
| 2.11.7157 / 2.11.7165* | Neo Point S  | Ø30mm    | 411lm  | White         | 3000K | >90Ra | 6,2W  | 30°  |
| 2.11.7158 / 2.11.7166* | Neo Point S  | Ø30mm    | 411lm  | Black         | 3000K | >90Ra | 6,2W  | 30°  |
| 2.11.7171 / 2.11.7179* | Neo Point M  | Ø52mm    | 1109lm | White         | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7172 / 2.11.7180* | Neo Point M  | Ø52mm    | 1109lm | Black         | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7173 / 2.11.7181* | Neo Point M  | Ø52mm    | 1163lm | White         | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7174 / 2.11.7182* | Neo Point M  | Ø52mm    | 1163lm | Black         | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7187 / 2.11.7199* | Neo Point L  | Ø52mm    | 1476lm | White         | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7188 / 2.11.7200* | Neo Point L  | Ø52mm    | 1476lm | Black         | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7189 / 2.11.7201* | Neo Point L  | Ø52mm    | 1569lm | White         | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7190 / 2.11.7202* | Neo Point L  | Ø52mm    | 1569lm | Black         | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7207 / 2.11.7219* | Neo Point XL | Ø75mm    | 2432lm | White         | 2700K | >90Ra | 32,5W | 30°  |
| 2.11.7208 / 2.11.7220* | Neo Point XL | Ø75mm    | 2432lm | Black         | 2700K | >90Ra | 32,5W | 30°  |
| 2.11.7209 / 2.11.7221* | Neo Point XL | Ø75mm    | 2545lm | White         | 3000K | >90Ra | 32,5W | 30°  |
| 2.11.7210 / 2.11.7222* | Neo Point XL | Ø75mm    | 2545lm | Black         | 3000K | >90Ra | 32,5W | 30°  |


Article No. with \* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0246   | 50° reflector for Neo S   |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1088   | Inner ring for Neo XL - Gold   | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1289   | Inner ring for Neo XL - White  | 5.14.0250   | 15° reflector for Neo XL  |
| 2.01.1152   | Honeycomb for Neo M/L          | 5.14.0252   | 50° reflector for Neo XL  |
| 2.01.1153   | Honeycomb for Neo XL           |             |                           |




# Neo ON AIM



### Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | up to 32,5W   |
| Lumen output            | up to 2545lm  |
| Efficiency              | up to 75lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

### Dimensions



### Neo On Aim

| Article No.            | Product Name  | Diameter | Lumen  | Housing Color | CCT   | CRI   | Power | Lens |
|------------------------|---------------|----------|--------|---------------|-------|-------|-------|------|
| 2.17.4105 / 2.17.4113* | Neo On Aim M  | Ø52 mm   | 1109lm | White         | 2700K | >90Ra | 16W   | 30°  |
| 2.17.4106 / 2.17.4114* | Neo On Aim M  | Ø52 mm   | 1109lm | Black         | 2700K | >90Ra | 16W   | 30°  |
| 2.17.4107 / 2.17.4115* | Neo On Aim M  | Ø52 mm   | 1163lm | White         | 3000K | >90Ra | 16,2W | 30°  |
| 2.17.4108 / 2.17.4116* | Neo On Aim M  | Ø52 mm   | 1163lm | Black         | 3000K | >90Ra | 16,2W | 30°  |
| 2.17.4121 / 2.17.4133* | Neo On Aim L  | Ø52 mm   | 1476lm | White         | 2700K | >90Ra | 20,1W | 30°  |
| 2.17.4122 / 2.17.4134* | Neo On Aim L  | Ø52 mm   | 1476lm | Black         | 2700K | >90Ra | 20,1W | 30°  |
| 2.17.4123 / 2.17.4135* | Neo On Aim L  | Ø52 mm   | 1569lm | White         | 3000K | >90Ra | 20,3W | 30°  |
| 2.17.4124 / 2.17.4136* | Neo On Aim L  | Ø52 mm   | 1569lm | Black         | 3000K | >90Ra | 20,3W | 30°  |
| 2.17.4141 / 2.17.4153* | Neo On Aim XL | Ø75mm    | 2432lm | White         | 2700K | >90Ra | 32,5W | 30°  |
| 2.17.4142 / 2.17.4154* | Neo On Aim XL | Ø75mm    | 2432lm | Black         | 2700K | >90Ra | 32,5W | 30°  |
| 2.17.4143 / 2.17.4155* | Neo On Aim XL | Ø75mm    | 2545lm | White         | 3000K | >90Ra | 32,5W | 30°  |
| 2.17.4144 / 2.17.4156* | Neo On Aim XL | Ø75mm    | 2545lm | Black         | 3000K | >90Ra | 32,5W | 30°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.

### Adjustable Accessories


| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1088   | Inner ring for Neo XL - Gold   | 5.14.0250   | 15° reflector for Neo XL  |
| 2.01.1289   | Inner ring for Neo XL - White  | 5.14.0252   | 50° reflector for Neo XL  |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |
| 2.01.1153   | Honeycomb for Neo XL           |             |                           |








Neo  
IN



Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | 20,3W         |
| Lumen output            | up to 1569lm  |
| Efficiency              | up to 75lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

Dimensions



Neo In

| Article No.            | Product Name | Diameter | Lumen  | Housing Color | Inner Ring Color | Outer Ring Color | CCT   | CRI   | Power | Lens |
|------------------------|--------------|----------|--------|---------------|------------------|------------------|-------|-------|-------|------|
| 2.11.7027 / 2.11.7059* | Neo In M     | Ø52mm    | 1109lm | White         | White            | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7028 / 2.11.7060* | Neo In M     | Ø52mm    | 1109lm | White         | White            | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7029 / 2.11.7061* | Neo In M     | Ø52mm    | 1109lm | White         | Black            | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7030 / 2.11.7062* | Neo In M     | Ø52mm    | 1109lm | White         | Black            | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7031 / 2.11.7063* | Neo In M     | Ø52mm    | 1109lm | Black         | White            | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7032 / 2.11.7064* | Neo In M     | Ø52mm    | 1109lm | Black         | White            | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7033 / 2.11.7065* | Neo In M     | Ø52mm    | 1109lm | Black         | Black            | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7034 / 2.11.7066* | Neo In M     | Ø52mm    | 1109lm | Black         | Black            | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.7035 / 2.11.7067* | Neo In M     | Ø52mm    | 1163lm | White         | White            | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7036 / 2.11.7068* | Neo In M     | Ø52mm    | 1163lm | White         | White            | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7037 / 2.11.7069* | Neo In M     | Ø52mm    | 1163lm | White         | Black            | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7038 / 2.11.7070* | Neo In M     | Ø52mm    | 1163lm | White         | Black            | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7039 / 2.11.7071* | Neo In M     | Ø52mm    | 1163lm | Black         | White            | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7040 / 2.11.7072* | Neo In M     | Ø52mm    | 1163lm | Black         | White            | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7041 / 2.11.7073* | Neo In M     | Ø52mm    | 1163lm | Black         | Black            | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7042 / 2.11.7074* | Neo In M     | Ø52mm    | 1163lm | Black         | Black            | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.7091 / 2.11.7123* | Neo In L     | Ø52mm    | 1476lm | White         | White            | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7092 / 2.11.7124* | Neo In L     | Ø52mm    | 1476lm | White         | Black            | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7093 / 2.11.7125* | Neo In L     | Ø52mm    | 1476lm | Black         | White            | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7094 / 2.11.7126* | Neo In L     | Ø52mm    | 1476lm | Black         | Black            | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7095 / 2.11.7127* | Neo In L     | Ø52mm    | 1476lm | White         | White            | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7096 / 2.11.7128* | Neo In L     | Ø52mm    | 1476lm | White         | Black            | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7097 / 2.11.7129* | Neo In L     | Ø52mm    | 1476lm | Black         | White            | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7098 / 2.11.7130* | Neo In L     | Ø52mm    | 1476lm | Black         | Black            | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.7099 / 2.11.7131* | Neo In L     | Ø52mm    | 1569lm | White         | White            | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7100 / 2.11.7132* | Neo In L     | Ø52mm    | 1569lm | White         | Black            | Black            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7101 / 2.11.7133* | Neo In L     | Ø52mm    | 1569lm | Black         | White            | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7102 / 2.11.7134* | Neo In L     | Ø52mm    | 1569lm | Black         | Black            | Black            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7103 / 2.11.7135* | Neo In L     | Ø52mm    | 1569lm | White         | White            | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7104 / 2.11.7136* | Neo In L     | Ø52mm    | 1569lm | White         | Black            | Black            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7105 / 2.11.7137* | Neo In L     | Ø52mm    | 1569lm | Black         | White            | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7106 / 2.11.7138* | Neo In L     | Ø52mm    | 1569lm | Black         | Black            | Black            | 3000K | >90Ra | 20,3W | 30°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.


Adjustable Accessories

| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |



# Neo


## IN - TRIMLESS



### Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | 20,3W         |
| Lumen output            | up to 1569lm  |
| Efficiency              | up to 75lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

### Dimensions



### Neo In Trimless

| Article No.            | Product Name      | Diameter | Lumen  | Housing Color | Inner Ring Color | CCT   | CRI   | Power | Lens |
|------------------------|-------------------|----------|--------|---------------|------------------|-------|-------|-------|------|
| 2.11.6963 / 2.11.6979* | Neo In M Trimless | Ø52mm    | 1109lm | White         | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.6964 / 2.11.6980* | Neo In M Trimless | Ø52mm    | 1109lm | White         | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.6965 / 2.11.6981* | Neo In M Trimless | Ø52mm    | 1109lm | Black         | White            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.6966 / 2.11.6982* | Neo In M Trimless | Ø52mm    | 1109lm | Black         | Black            | 2700K | >90Ra | 16W   | 30°  |
| 2.11.6967 / 2.11.6983* | Neo In M Trimless | Ø52mm    | 1163lm | White         | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.6968 / 2.11.6984* | Neo In M Trimless | Ø52mm    | 1163lm | White         | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.6969 / 2.11.6985* | Neo In M Trimless | Ø52mm    | 1163lm | Black         | White            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.6970 / 2.11.6986* | Neo In M Trimless | Ø52mm    | 1163lm | Black         | Black            | 3000K | >90Ra | 16,2W | 30°  |
| 2.11.6995 / 2.11.7011* | Neo In L Trimless | Ø52mm    | 1476lm | White         | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.6996 / 2.11.7012* | Neo In L Trimless | Ø52mm    | 1476lm | White         | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.6997 / 2.11.7013* | Neo In L Trimless | Ø52mm    | 1476lm | Black         | White            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.6998 / 2.11.7014* | Neo In L Trimless | Ø52mm    | 1476lm | Black         | Black            | 2700K | >90Ra | 20,1W | 30°  |
| 2.11.6999 / 2.11.7015* | Neo In L Trimless | Ø52mm    | 1569lm | White         | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7000 / 2.11.7016* | Neo In L Trimless | Ø52mm    | 1569lm | White         | Black            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7001 / 2.11.7017* | Neo In L Trimless | Ø52mm    | 1569lm | Black         | White            | 3000K | >90Ra | 20,3W | 30°  |
| 2.11.7002 / 2.11.7018* | Neo In L Trimless | Ø52mm    | 1569lm | Black         | Black            | 3000K | >90Ra | 20,3W | 30°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.

### Adjustable Accessories


| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |







Neo  
ON



Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | up to 32,5W   |
| Lumen output            | up to 2545lm  |
| Efficiency              | up to 75lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

Dimensions



Neo On

| Article No.            | Product Name | Diameter | Lumen  | Housing Color | CCT   | CRI   | Power | Lens |
|------------------------|--------------|----------|--------|---------------|-------|-------|-------|------|
| 2.17.4049 / 2.17.4057* | Neo On M     | Ø52 mm   | 1109lm | White         | 2700K | >90Ra | 16W   | 30°  |
| 2.17.4050 / 2.17.4058* | Neo On M     | Ø52 mm   | 1109lm | Black         | 2700K | >90Ra | 16W   | 30°  |
| 2.17.4051 / 2.17.4059* | Neo On M     | Ø52 mm   | 1163lm | White         | 3000K | >90Ra | 16,2W | 30°  |
| 2.17.4052 / 2.17.4060* | Neo On M     | Ø52 mm   | 1163lm | Black         | 3000K | >90Ra | 16,2W | 30°  |
| 2.17.4065 / 2.17.4077* | Neo On L     | Ø52 mm   | 1476lm | White         | 2700K | >90Ra | 20,1W | 30°  |
| 2.17.4066 / 2.17.4078* | Neo On L     | Ø52 mm   | 1476lm | Black         | 2700K | >90Ra | 20,1W | 30°  |
| 2.17.4067 / 2.17.4079* | Neo On L     | Ø52 mm   | 1569lm | White         | 3000K | >90Ra | 20,3W | 30°  |
| 2.17.4068 / 2.17.4080* | Neo On L     | Ø52 mm   | 1569lm | Black         | 3000K | >90Ra | 20,3W | 30°  |
| 2.17.4085 / 2.17.4097* | Neo On XL    | Ø75 mm   | 2432lm | White         | 2700K | >90Ra | 32,5W | 30°  |
| 2.17.4086 / 2.17.4098* | Neo On XL    | Ø75 mm   | 2432lm | Black         | 2700K | >90Ra | 32,5W | 30°  |
| 2.17.4087 / 2.17.4099* | Neo On XL    | Ø75 mm   | 2545lm | White         | 3000K | >90Ra | 32,5W | 30°  |
| 2.17.4088 / 2.17.4100* | Neo On XL    | Ø75 mm   | 2545lm | Black         | 3000K | >90Ra | 32,5W | 30°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1088   | Inner ring for Neo XL - Gold   | 5.14.0250   | 15° reflector for Neo XL  |
| 2.01.1289   | Inner ring for Neo XL - White  | 5.14.0252   | 50° reflector for Neo XL  |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |
| 2.01.1153   | Honeycomb for Neo XL           |             |                           |



Neo  
AIR




Product information

|                         |                          |
|-------------------------|--------------------------|
| Input voltage           | 230V                     |
| Power                   | up to 19W                |
| Lumen output            | up to 1219lm             |
| Efficiency              | up to 64lm/W             |
| CRI                     | >90Ra                    |
| Lens                    | 15°, 30° or 50° included |
| CCT                     | 2700K   3000K            |
| Available housing color | White   Black            |
| Certification           | CE/ROHS                  |

Dimensions

\*DALI dimmable articles have an Ø130 mm Ceiling Canopy



Neo Air

| Article No.          | Product Name | Diameter | Lumen  | Housing Color | CCT   | CRI   | Power | Lens |
|----------------------|--------------|----------|--------|---------------|-------|-------|-------|------|
| 2.06.0823/2.06.0839* | Neo Air S    | Ø30mm    | 267lm  | white         | 2700K | >90Ra | 8W    | 30°  |
| 2.06.0824/2.06.0840* | Neo Air S    | Ø30mm    | 267lm  | black         | 2700K | >90Ra | 8W    | 30°  |
| 2.06.0825/2.06.0841* | Neo Air S    | Ø30mm    | 312lm  | white         | 3000K | >90Ra | 8W    | 30°  |
| 2.06.0826/2.06.0842* | Neo Air S    | Ø30mm    | 312lm  | black         | 3000K | >90Ra | 8W    | 30°  |
| 2.06.0863/2.06.0871* | Neo Air S    | Ø30mm    | 267lm  | white         | 2700K | >90Ra | 8W    | 50°  |
| 2.06.0864/2.06.0872* | Neo Air S    | Ø30mm    | 267lm  | black         | 2700K | >90Ra | 8W    | 50°  |
| 2.06.0865/2.06.0873* | Neo Air S    | Ø30mm    | 312lm  | white         | 3000K | >90Ra | 8W    | 50°  |
| 2.06.0866/2.06.0874* | Neo Air S    | Ø30mm    | 312lm  | black         | 3000K | >90Ra | 8W    | 50°  |
| 2.06.0879/2.06.0887* | Neo Air L    | Ø52mm    | 1134lm | white         | 2700K | >90Ra | 19W   | 15°  |
| 2.06.0880/2.06.0888* | Neo Air L    | Ø52mm    | 1134lm | black         | 2700K | >90Ra | 19W   | 15°  |
| 2.06.0881/2.06.0889* | Neo Air L    | Ø52mm    | 1219lm | white         | 3000K | >90Ra | 19W   | 15°  |
| 2.06.0882/2.06.0890* | Neo Air L    | Ø52mm    | 1219lm | black         | 3000K | >90Ra | 19W   | 15°  |
| 2.06.0827/2.06.0843* | Neo Air L    | Ø52mm    | 1134lm | white         | 2700K | >90Ra | 19W   | 30°  |
| 2.06.0828/2.06.0844* | Neo Air L    | Ø52mm    | 1134lm | black         | 2700K | >90Ra | 19W   | 30°  |
| 2.06.0829/2.06.0845* | Neo Air L    | Ø52mm    | 1219lm | white         | 3000K | >90Ra | 19W   | 30°  |
| 2.06.0830/2.06.0846* | Neo Air L    | Ø52mm    | 1219lm | black         | 3000K | >90Ra | 19W   | 30°  |
| 2.06.0895/2.06.0903* | Neo Air L    | Ø52mm    | 1134lm | white         | 2700K | >90Ra | 19W   | 50°  |
| 2.06.0896/2.06.0904* | Neo Air L    | Ø52mm    | 1134lm | black         | 2700K | >90Ra | 19W   | 50°  |
| 2.06.0897/2.06.0905* | Neo Air L    | Ø52mm    | 1219lm | white         | 3000K | >90Ra | 19W   | 50°  |
| 2.06.0898/2.06.0906* | Neo Air L    | Ø52mm    | 1219lm | black         | 3000K | >90Ra | 19W   | 50°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |








# Neo BALL



## Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | up to 28W     |
| Lumen output            | up to 2181lm  |
| Efficiency              | up to 77lm/W  |
| CRI                     | >90Ra         |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

## Dimensions




## Neo Ball

| Article No.            | Product Name | Diameter | Lumen  | Housing Color | CCT   | CRI   | Power |
|------------------------|--------------|----------|--------|---------------|-------|-------|-------|
| 2.06.0804 / 2.06.0812* | Neo Ball     | Ø180mm   | 2140lm | black         | 2700K | >90Ra | 28W   |
| 2.06.0806 / 2.06.0814* | Neo Ball     | Ø180mm   | 2181lm | black         | 3000K | >90Ra | 28W   |
| 2.06.0803 / 2.06.0811* | Neo Ball     | Ø180mm   | 2140lm | white         | 2700K | >90Ra | 28W   |
| 2.06.0805 / 2.06.0813* | Neo Ball     | Ø180mm   | 2181lm | white         | 3000K | >90Ra | 28W   |

Article No. with \* indicates that the luminaire is DALI Dimmable.




# Neo TRACK



### Product information

|                         |               |
|-------------------------|---------------|
| Input voltage           | 230V          |
| Power                   | 40W           |
| Lumen output            | up to 2545lm  |
| Efficiency              | up to 71lm/W  |
| CRI                     | >90Ra         |
| Lens                    | 30° included  |
| CCT                     | 2700K   3000K |
| Available housing color | White   Black |
| Certification           | CE/ROHS       |

### Max. dimensions



### Neo Track

| Article No.            | Product Name | Diameter | Lumen  | Housing Color | Inner Ring Color | CCT   | CRI   | Power | Lens |
|------------------------|--------------|----------|--------|---------------|------------------|-------|-------|-------|------|
| 2.17.3348 / 2.17.3420* | Neo Track M  | Ø52mm    | 1109lm | Black         | Black            | 2700K | >90Ra | 17W   | 30°  |
| 2.17.3349 / 2.17.3421* | Neo Track M  | Ø52mm    | 1109lm | Black         | Gold             | 2700K | >90Ra | 17W   | 30°  |
| 2.17.3350 / 2.17.3422* | Neo Track M  | Ø52mm    | 1109lm | White         | Black            | 2700K | >90Ra | 17W   | 30°  |
| 2.17.3351 / 2.17.3423* | Neo Track M  | Ø52mm    | 1109lm | White         | Gold             | 2700K | >90Ra | 17W   | 30°  |
| 2.17.3360 / 2.17.3432* | Neo Track M  | Ø52mm    | 1163lm | Black         | Black            | 3000K | >90Ra | 17W   | 30°  |
| 2.17.3361 / 2.17.3433* | Neo Track M  | Ø52mm    | 1163lm | Black         | Gold             | 3000K | >90Ra | 17W   | 30°  |
| 2.17.3362 / 2.17.3434* | Neo Track M  | Ø52mm    | 1163lm | White         | Black            | 3000K | >90Ra | 17W   | 30°  |
| 2.17.3363 / 2.17.3435* | Neo Track M  | Ø52mm    | 1163lm | White         | Gold             | 3000K | >90Ra | 17W   | 30°  |
| 2.17.3372 / 2.17.3444* | Neo Track L  | Ø52mm    | 1476lm | Black         | Black            | 2700K | >90Ra | 22W   | 30°  |
| 2.17.3373 / 2.17.3445* | Neo Track L  | Ø52mm    | 1476lm | Black         | Gold             | 2700K | >90Ra | 22W   | 30°  |
| 2.17.3374 / 2.17.3446* | Neo Track L  | Ø52mm    | 1476lm | White         | Black            | 2700K | >90Ra | 22W   | 30°  |
| 2.17.3375 / 2.17.3447* | Neo Track L  | Ø52mm    | 1476lm | White         | Gold             | 2700K | >90Ra | 22W   | 30°  |
| 2.17.3384 / 2.17.3456* | Neo Track L  | Ø52mm    | 1569lm | Black         | Black            | 3000K | >90Ra | 22W   | 30°  |
| 2.17.3385 / 2.17.3457* | Neo Track L  | Ø52mm    | 1569lm | Black         | Gold             | 3000K | >90Ra | 22W   | 30°  |
| 2.17.3386 / 2.17.3458* | Neo Track L  | Ø52mm    | 1569lm | White         | Black            | 3000K | >90Ra | 22W   | 30°  |
| 2.17.3387 / 2.17.3459* | Neo Track L  | Ø52mm    | 1569lm | White         | Gold             | 3000K | >90Ra | 22W   | 30°  |
| 2.17.3396 / 2.17.3468* | Neo Track XL | Ø75mm    | 2432lm | Black         | Black            | 2700K | >90Ra | 40W   | 30°  |
| 2.17.3397 / 2.17.3469* | Neo Track XL | Ø75mm    | 2432lm | Black         | Gold             | 2700K | >90Ra | 40W   | 30°  |
| 2.17.3398 / 2.17.3470* | Neo Track XL | Ø75mm    | 2432lm | White         | Black            | 2700K | >90Ra | 40W   | 30°  |
| 2.17.3399 / 2.17.3471* | Neo Track XL | Ø75mm    | 2432lm | White         | Gold             | 2700K | >90Ra | 40W   | 30°  |
| 2.17.3408 / 2.17.3480* | Neo Track XL | Ø75mm    | 2545lm | Black         | Black            | 3000K | >90Ra | 40W   | 30°  |
| 2.17.3409 / 2.17.3481* | Neo Track XL | Ø75mm    | 2545lm | Black         | Gold             | 3000K | >90Ra | 40W   | 30°  |
| 2.17.3410 / 2.17.3482* | Neo Track XL | Ø75mm    | 2545lm | White         | Black            | 3000K | >90Ra | 40W   | 30°  |
| 2.17.3411 / 2.17.3483* | Neo Track XL | Ø75mm    | 2545lm | White         | Gold             | 3000K | >90Ra | 40W   | 30°  |

Article No. with \* indicates that the luminaire is DALI Dimmable.

### Adjustable Accessories

| Article No. | Product Name                   | Article No. | Product Name              |
|-------------|--------------------------------|-------------|---------------------------|
| 2.01.1086   | Inner ring for Neo M/L - Gold  | 5.14.0247   | 15° reflector for Neo M/L |
| 2.01.1288   | Inner ring for Neo M/L - White | 5.14.0249   | 50° reflector for Neo M/L |
| 2.01.1088   | Inner ring for Neo XL - Gold   | 5.14.0250   | 15° reflector for Neo XL  |
| 2.01.1289   | Inner ring for Neo XL - White  | 5.14.0252   | 50° reflector for Neo XL  |
| 2.01.1152   | Honeycomb for Neo M/L          |             |                           |
| 2.01.1153   | Honeycomb for Neo XL           |             |                           |







Nijverheidsweg 2  
2421LR Nieuwkoop  
+31 (0)172 574500  
[info@nuudo.com](mailto:info@nuudo.com)  
[www.nuudo.com](http://www.nuudo.com)

nuudo. is part of the Lumiparts Group