

nuudo.

Neo

Neo

MODULAR SIMPLICITY

De eenvoud van dit strakke design geeft de Neo-serie een luxe uitstraling. Hoogwaardig afgewerkt, met oog voor detail. En door de inbouw, opbouw en pendelarmaturen in dezelfde stijl uit te voeren creëer je rust en eenheid in de verschillende ruimtes.

De Neo serie is door haar strakke design én diversiteit in armaturen geschikt voor veel verschillende doeleinden. Denk bijvoorbeeld aan luxe woningen, kantoren, ...


The simplicity of this sleek design gives the Neo series a luxurious appearance. High-quality finished, Whiteh an eye for detail. And by designing the recessed, surface-mounted and pendant luminaires in the same style, you create peace and unity in the different spaces.

The Neo series is suitable for many different purposes due to its sleek design and diversity in fixtures. Consider, for example, luxury homes, offices,...






Neo POINT



Product information

Input voltage	230V
Power	up to 33,7W
Lumen output	up to 2452lm
Efficiency	up to 76lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



Neo Point

Article No.	Product Name	Diameter	Lumen	Housing Color	CCT	CRI	Power	Lens
2.11.7155 / 2.11.7163*	Neo Point S	Ø30mm	390lm	White	2700K	>90Ra	6,2W	30°
2.11.7156 / 2.11.7164*	Neo Point S	Ø30mm	390lm	Black	2700K	>90Ra	6,2W	30°
2.11.7157 / 2.11.7165*	Neo Point S	Ø30mm	411lm	White	3000K	>90Ra	6,2W	30°
2.11.7158 / 2.11.7166*	Neo Point S	Ø30mm	411lm	Black	3000K	>90Ra	6,2W	30°
2.11.7171 / 2.11.7179*	Neo Point M	Ø52mm	1109lm	White	2700K	>90Ra	16W	30°
2.11.7172 / 2.11.7180*	Neo Point M	Ø52mm	1109lm	Black	2700K	>90Ra	16W	30°
2.11.7173 / 2.11.7181*	Neo Point M	Ø52mm	1163lm	White	3000K	>90Ra	16,2W	30°
2.11.7174 / 2.11.7182*	Neo Point M	Ø52mm	1163lm	Black	3000K	>90Ra	16,2W	30°
2.11.7187 / 2.11.7199*	Neo Point L	Ø52mm	1476lm	White	2700K	>90Ra	20,1W	30°
2.11.7188 / 2.11.7200*	Neo Point L	Ø52mm	1476lm	Black	2700K	>90Ra	20,1W	30°
2.11.7189 / 2.11.7201*	Neo Point L	Ø52mm	1569lm	White	3000K	>90Ra	20,3W	30°
2.11.7190 / 2.11.7202*	Neo Point L	Ø52mm	1569lm	Black	3000K	>90Ra	20,3W	30°
2.11.7207 / 2.11.7219*	Neo Point XL	Ø75mm	2432lm	White	2700K	>90Ra	32,5W	30°
2.11.7208 / 2.11.7220*	Neo Point XL	Ø75mm	2432lm	Black	2700K	>90Ra	32,5W	30°
2.11.7209 / 2.11.7221*	Neo Point XL	Ø75mm	2545lm	White	3000K	>90Ra	32,5W	30°
2.11.7210 / 2.11.7222*	Neo Point XL	Ø75mm	2545lm	Black	3000K	>90Ra	32,5W	30°

Article No. White* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0246	50° reflector for Neo S
2.01.1288	Inner ring for Neo M/L - White	5.14.0247	15° reflector for Neo M/L
2.01.1088	Inner ring for Neo XL - Gold	5.14.0249	50° reflector for Neo M/L
2.01.1289	Inner ring for Neo XL - White	5.14.0250	15° reflector for Neo XL
2.01.1152	Honeycomb for Neo M/L	5.14.0252	50° reflector for Neo XL
2.01.1153	Honeycomb for Neo XL		




Neo ON AIM




Product information

Input voltage	230V
Power	up to 32,5W
Lumen output	up to 2545lm
Efficiency	up to 75lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



All articles in this sheet are fitted with an external



Neo On Aim

Article No.	Product Name	Diameter	Lumen	Housing Color	CCT	CRI	Power	Lens
2.17.4105 / 2.17.4113*	Neo On Aim M	Ø52 mm	1109lm	White	2700K	>90Ra	16W	30°
2.17.4106 / 2.17.4114*	Neo On Aim M	Ø52 mm	1109lm	Black	2700K	>90Ra	16W	30°
2.17.4107 / 2.17.4115*	Neo On Aim M	Ø52 mm	1163lm	White	3000K	>90Ra	16,2W	30°
2.17.4108 / 2.17.4116*	Neo On Aim M	Ø52 mm	1163lm	Black	3000K	>90Ra	16,2W	30°
2.17.4121 / 2.17.4133*	Neo On Aim L	Ø52 mm	1476lm	White	2700K	>90Ra	20,1W	30°
2.17.4122 / 2.17.4134*	Neo On Aim L	Ø52 mm	1476lm	Black	2700K	>90Ra	20,1W	30°
2.17.4123 / 2.17.4135*	Neo On Aim L	Ø52 mm	1569lm	White	3000K	>90Ra	20,3W	30°
2.17.4124 / 2.17.4136*	Neo On Aim L	Ø52 mm	1569lm	Black	3000K	>90Ra	20,3W	30°
2.17.4141 / 2.17.4153*	Neo On Aim XL	Ø75mm	2432lm	White	2700K	>90Ra	32,5W	30°
2.17.4142 / 2.17.4154*	Neo On Aim XL	Ø75mm	2432lm	Black	2700K	>90Ra	32,5W	30°
2.17.4143 / 2.17.4155*	Neo On Aim XL	Ø75mm	2545lm	White	3000K	>90Ra	32,5W	30°
2.17.4144 / 2.17.4156*	Neo On Aim XL	Ø75mm	2545lm	Black	3000K	>90Ra	32,5W	30°


Article No. Whiteh * indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0247	15° reflector for Neo M/L
2.01.1288	Inner ring for Neo M/L - White	5.14.0249	50° reflector for Neo M/L
2.01.1088	Inner ring for Neo XL - Gold	5.14.0250	15° reflector for Neo XL
2.01.1289	Inner ring for Neo XL - White	5.14.0252	50° reflector for Neo XL
2.01.1152	Honeycomb for Neo M/L		
2.01.1153	Honeycomb for Neo XL		




Neo IN



Product information

Input voltage	230V
Power	20,3W
Lumen output	up to 1569lm
Efficiency	up to 75lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



Neo In


Article No.	Product Name	Diameter	Lumen	Housing Color	Inner Ring Color	Outer Ring Color	CCT	CRI	Power	Lens
2.11.7027 / 2.11.7059*	Neo In M	Ø52mm	1109lm	White	White	White	2700K	>90Ra	16W	30°
2.11.7028 / 2.11.7060*	Neo In M	Ø52mm	1109lm	White	White	Black	2700K	>90Ra	16W	30°
2.11.7029 / 2.11.7061*	Neo In M	Ø52mm	1109lm	White	Black	White	2700K	>90Ra	16W	30°
2.11.7030 / 2.11.7062*	Neo In M	Ø52mm	1109lm	White	Black	Black	2700K	>90Ra	16W	30°
2.11.7031 / 2.11.7063*	Neo In M	Ø52mm	1109lm	Black	White	White	2700K	>90Ra	16W	30°
2.11.7032 / 2.11.7064*	Neo In M	Ø52mm	1109lm	Black	White	Black	2700K	>90Ra	16W	30°
2.11.7033 / 2.11.7065*	Neo In M	Ø52mm	1109lm	Black	Black	White	2700K	>90Ra	16W	30°
2.11.7034 / 2.11.7066*	Neo In M	Ø52mm	1109lm	Black	Black	Black	2700K	>90Ra	16W	30°
2.11.7035 / 2.11.7067*	Neo In M	Ø52mm	1163lm	White	White	White	3000K	>90Ra	16,2W	30°
2.11.7036 / 2.11.7068*	Neo In M	Ø52mm	1163lm	White	White	Black	3000K	>90Ra	16,2W	30°
2.11.7037 / 2.11.7069*	Neo In M	Ø52mm	1163lm	White	Black	White	3000K	>90Ra	16,2W	30°
2.11.7038 / 2.11.7070*	Neo In M	Ø52mm	1163lm	White	Black	Black	3000K	>90Ra	16,2W	30°
2.11.7039 / 2.11.7071*	Neo In M	Ø52mm	1163lm	Black	White	White	3000K	>90Ra	16,2W	30°
2.11.7040 / 2.11.7072*	Neo In M	Ø52mm	1163lm	Black	White	Black	3000K	>90Ra	16,2W	30°
2.11.7041 / 2.11.7073*	Neo In M	Ø52mm	1163lm	Black	Black	White	3000K	>90Ra	16,2W	30°
2.11.7042 / 2.11.7074*	Neo In M	Ø52mm	1163lm	Black	Black	Black	3000K	>90Ra	16,2W	30°
2.11.7091 / 2.11.7123*	Neo In L	Ø52mm	1476lm	White	White	White	2700K	>90Ra	20,1W	30°
2.11.7092 / 2.11.7124*	Neo In L	Ø52mm	1476lm	White	Black	Black	2700K	>90Ra	20,1W	30°
2.11.7093 / 2.11.7125*	Neo In L	Ø52mm	1476lm	Black	White	White	2700K	>90Ra	20,1W	30°
2.11.7094 / 2.11.7126*	Neo In L	Ø52mm	1476lm	Black	Black	Black	2700K	>90Ra	20,1W	30°
2.11.7095 / 2.11.7127*	Neo In L	Ø52mm	1476lm	White	White	White	2700K	>90Ra	20,1W	30°
2.11.7096 / 2.11.7128*	Neo In L	Ø52mm	1476lm	White	Black	Black	2700K	>90Ra	20,1W	30°
2.11.7097 / 2.11.7129*	Neo In L	Ø52mm	1476lm	Black	White	White	2700K	>90Ra	20,1W	30°
2.11.7098 / 2.11.7130*	Neo In L	Ø52mm	1476lm	Black	Black	Black	2700K	>90Ra	20,1W	30°
2.11.7099 / 2.11.7131*	Neo In L	Ø52mm	1569lm	White	White	White	3000K	>90Ra	20,3W	30°
2.11.7100 / 2.11.7132*	Neo In L	Ø52mm	1569lm	White	Black	Black	3000K	>90Ra	20,3W	30°
2.11.7101 / 2.11.7133*	Neo In L	Ø52mm	1569lm	Black	White	White	3000K	>90Ra	20,3W	30°
2.11.7102 / 2.11.7134*	Neo In L	Ø52mm	1569lm	Black	Black	Black	3000K	>90Ra	20,3W	30°
2.11.7103 / 2.11.7135*	Neo In L	Ø52mm	1569lm	White	White	White	3000K	>90Ra	20,3W	30°
2.11.7104 / 2.11.7136*	Neo In L	Ø52mm	1569lm	White	Black	Black	3000K	>90Ra	20,3W	30°
2.11.7105 / 2.11.7137*	Neo In L	Ø52mm	1569lm	Black	White	White	3000K	>90Ra	20,3W	30°
2.11.7106 / 2.11.7138*	Neo In L	Ø52mm	1569lm	Black	Black	Black	3000K	>90Ra	20,3W	30°

Article No. White* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0247	15° reflector for Neo M/L
2.01.1288	Inner ring for Neo M/L - White	5.14.0249	50° reflector for Neo M/L
2.01.1152	Honeycomb for Neo M/L		


Neo IN - TRIMLESS



Product information

Input voltage	230V
Power	20,3W
Lumen output	up to 1569lm
Efficiency	up to 75lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



Neo In Trimless

Article No.	Product Name	Diameter	Lumen	Housing Color	Inner Ring Color	CCT	CRI	Power	Lens
2.11.6963 / 2.11.6979*	Neo In M Trimless	Ø52mm	1109lm	White	White	2700K	>90Ra	16W	30°
2.11.6964 / 2.11.6980*	Neo In M Trimless	Ø52mm	1109lm	White	Black	2700K	>90Ra	16W	30°
2.11.6965 / 2.11.6981*	Neo In M Trimless	Ø52mm	1109lm	Black	White	2700K	>90Ra	16W	30°
2.11.6966 / 2.11.6982*	Neo In M Trimless	Ø52mm	1109lm	Black	Black	2700K	>90Ra	16W	30°
2.11.6967 / 2.11.6983*	Neo In M Trimless	Ø52mm	1163lm	White	White	3000K	>90Ra	16,2W	30°
2.11.6968 / 2.11.6984*	Neo In M Trimless	Ø52mm	1163lm	White	Black	3000K	>90Ra	16,2W	30°
2.11.6969 / 2.11.6985*	Neo In M Trimless	Ø52mm	1163lm	Black	White	3000K	>90Ra	16,2W	30°
2.11.6970 / 2.11.6986*	Neo In M Trimless	Ø52mm	1163lm	Black	Black	3000K	>90Ra	16,2W	30°
2.11.6995 / 2.11.7011*	Neo In L Trimless	Ø52mm	1476lm	White	White	2700K	>90Ra	20,1W	30°
2.11.6996 / 2.11.7012*	Neo In L Trimless	Ø52mm	1476lm	White	Black	2700K	>90Ra	20,1W	30°
2.11.6997 / 2.11.7013*	Neo In L Trimless	Ø52mm	1476lm	Black	White	2700K	>90Ra	20,1W	30°
2.11.6998 / 2.11.7014*	Neo In L Trimless	Ø52mm	1476lm	Black	Black	2700K	>90Ra	20,1W	30°
2.11.6999 / 2.11.7015*	Neo In L Trimless	Ø52mm	1569lm	White	White	3000K	>90Ra	20,3W	30°
2.11.7000 / 2.11.7016*	Neo In L Trimless	Ø52mm	1569lm	White	Black	3000K	>90Ra	20,3W	30°
2.11.7001 / 2.11.7017*	Neo In L Trimless	Ø52mm	1569lm	Black	White	3000K	>90Ra	20,3W	30°
2.11.7002 / 2.11.7018*	Neo In L Trimless	Ø52mm	1569lm	Black	Black	3000K	>90Ra	20,3W	30°


Article No. White* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0247	15° reflector for Neo M/L
2.01.1288	Inner ring for Neo M/L - White	5.14.0249	50° reflector for Neo M/L
2.01.1152	Honeycomb for Neo M/L		




Neo TRACK



Product information

Input voltage	230V
Power	40W
Lumen output	up to 2545lm
Efficiency	up to 69lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Max. dimensions



Neo Track

Article No.	Product Name	Diameter	Lumen	Housing Color	Inner Ring Color	CCT	CRI	Power	Lens
2.17.3348 / 2.17.3420*	Neo Track M	Ø52mm	1109lm	Black	Black	2700K	>90Ra	17W	30°
2.17.3349 / 2.17.3421*	Neo Track M	Ø52mm	1109lm	Black	Gold	2700K	>90Ra	17W	30°
2.17.3350 / 2.17.3422*	Neo Track M	Ø52mm	1109lm	White	Black	2700K	>90Ra	17W	30°
2.17.3351 / 2.17.3423*	Neo Track M	Ø52mm	1109lm	White	Gold	2700K	>90Ra	17W	30°
2.17.3360 / 2.17.3432*	Neo Track M	Ø52mm	1163lm	Black	Black	3000K	>90Ra	17W	30°
2.17.3361 / 2.17.3433*	Neo Track M	Ø52mm	1163lm	Black	Gold	3000K	>90Ra	17W	30°
2.17.3362 / 2.17.3434*	Neo Track M	Ø52mm	1163lm	White	Black	3000K	>90Ra	17W	30°
2.17.3363 / 2.17.3435*	Neo Track M	Ø52mm	1163lm	White	Gold	3000K	>90Ra	17W	30°
2.17.3372 / 2.17.3444*	Neo Track L	Ø52mm	1476lm	Black	Black	2700K	>90Ra	22W	30°
2.17.3373 / 2.17.3445*	Neo Track L	Ø52mm	1476lm	Black	Gold	2700K	>90Ra	22W	30°
2.17.3374 / 2.17.3446*	Neo Track L	Ø52mm	1476lm	White	Black	2700K	>90Ra	22W	30°
2.17.3375 / 2.17.3447*	Neo Track L	Ø52mm	1476lm	White	Gold	2700K	>90Ra	22W	30°
2.17.3384 / 2.17.3456*	Neo Track L	Ø52mm	1569lm	Black	Black	3000K	>90Ra	22W	30°
2.17.3385 / 2.17.3457*	Neo Track L	Ø52mm	1569lm	Black	Gold	3000K	>90Ra	22W	30°
2.17.3386 / 2.17.3458*	Neo Track L	Ø52mm	1569lm	White	Black	3000K	>90Ra	22W	30°
2.17.3387 / 2.17.3459*	Neo Track L	Ø52mm	1569lm	White	Gold	3000K	>90Ra	22W	30°
2.17.3396 / 2.17.3468*	Neo Track XL	Ø75mm	2432lm	Black	Black	2700K	>90Ra	40W	30°
2.17.3397 / 2.17.3469*	Neo Track XL	Ø75mm	2432lm	Black	Gold	2700K	>90Ra	40W	30°
2.17.3398 / 2.17.3470*	Neo Track XL	Ø75mm	2432lm	White	Black	2700K	>90Ra	40W	30°
2.17.3399 / 2.17.3471*	Neo Track XL	Ø75mm	2432lm	White	Gold	2700K	>90Ra	40W	30°
2.17.3408 / 2.17.3480*	Neo Track XL	Ø75mm	2545lm	Black	Black	3000K	>90Ra	40W	30°
2.17.3409 / 2.17.3481*	Neo Track XL	Ø75mm	2545lm	Black	Gold	3000K	>90Ra	40W	30°
2.17.3410 / 2.17.3482*	Neo Track XL	Ø75mm	2545lm	White	Black	3000K	>90Ra	40W	30°
2.17.3411 / 2.17.3483*	Neo Track XL	Ø75mm	2545lm	White	Gold	3000K	>90Ra	40W	30°

Article No. White* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0247	15° reflector for Neo M/L
2.01.1288	Inner ring for Neo M/L - White	5.14.0249	50° reflector for Neo M/L
2.01.1088	Inner ring for Neo XL - Gold	5.14.0250	15° reflector for Neo XL
2.01.1289	Inner ring for Neo XL - White	5.14.0252	50° reflector for Neo XL
2.01.1152	Honeycomb for Neo M/L		
2.01.1153	Honeycomb for Neo XL		


Neo ON




Product information

Input voltage	230V
Power	up to 32,5W
Lumen output	up to 2545lm
Efficiency	up to 75lm/W
CRI	>90Ra
Lens	30° included
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



All articles in this sheet are fitted with an external



Neo On

Article No.	Product Name	Diameter	Lumen	Housing Color	CCT	CRI	Power	Lens
2.17.4049 / 2.17.4057*	Neo On M	Ø52 mm	1109lm	White	2700K	>90Ra	16W	30°
2.17.4050 / 2.17.4058*	Neo On M	Ø52 mm	1109lm	Black	2700K	>90Ra	16W	30°
2.17.4051 / 2.17.4059*	Neo On M	Ø52 mm	1163lm	White	3000K	>90Ra	16,2W	30°
2.17.4052 / 2.17.4060*	Neo On M	Ø52 mm	1163lm	Black	3000K	>90Ra	16,2W	30°
2.17.4065 / 2.17.4077*	Neo On L	Ø52 mm	1476lm	White	2700K	>90Ra	20,1W	30°
2.17.4066 / 2.17.4078*	Neo On L	Ø52 mm	1476lm	Black	2700K	>90Ra	20,1W	30°
2.17.4067 / 2.17.4079*	Neo On L	Ø52 mm	1569lm	White	3000K	>90Ra	20,3W	30°
2.17.4068 / 2.17.4080*	Neo On L	Ø52 mm	1569lm	Black	3000K	>90Ra	20,3W	30°
2.17.4085 / 2.17.4097*	Neo On XL	Ø75 mm	2432lm	White	2700K	>90Ra	32,5W	30°
2.17.4086 / 2.17.4098*	Neo On XL	Ø75 mm	2432lm	Black	2700K	>90Ra	32,5W	30°
2.17.4087 / 2.17.4099*	Neo On XL	Ø75 mm	2545lm	White	3000K	>90Ra	32,5W	30°
2.17.4088 / 2.17.4100*	Neo On XL	Ø75 mm	2545lm	Black	3000K	>90Ra	32,5W	30°

Article No. White* indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1086	Inner ring for Neo M/L - Gold	5.14.0247	15° reflector for Neo M/L
2.01.1288	Inner ring for Neo M/L - White	5.14.0249	50° reflector for Neo M/L
2.01.1088	Inner ring for Neo XL - Gold	5.14.0250	15° reflector for Neo XL
2.01.1289	Inner ring for Neo XL - White	5.14.0252	50° reflector for Neo XL
2.01.1152	Honeycomb for Neo M/L		
2.01.1153	Honeycomb for Neo XL		

Neo AIR AND BALL



powered by
TRIDONIC


Product information

Input voltage	230V AC
Power	up to 19W
Lumen output	up to 1219lm
Efficiency	up to 64lm / W
CRI	>90Ra
Lens	30° for Ø30 (included) 30° for Ø52 (included)
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS

Product information


Input voltage	230V AC
Power	28W
Lumen output	up to 2181lm
Efficiency	up to 78lm / W
CRI	>90Ra
Cover	Opal
CCT	2700K / 3000K
Available color	Black
Certification	CE / ROHS

Dimensions



For DALI Dimmable version:
Ø130mm ceiling cap

Cable: 2.5m
Cable can be shortened
to desired length.



28W

Pendant Lights

Article No.	Product Name	Diameter	Lumen	Housing Color	CCT	CRI	Cooling	Power	Lens
2.06.0823 / 2.06.0839*	Neo Pendant Mini LH	Ø30 mm	267lm	White	2700K	>90Ra	Passive	8W	30°
2.06.0824 / 2.06.0840*	Neo Pendant Mini LH	Ø30 mm	267lm	Black	2700K	>90Ra	Passive	8W	30°
2.06.0825 / 2.06.0841*	Neo Pendant Mini LH	Ø30 mm	312lm	White	3000K	>90Ra	Passive	8W	30°
2.06.0826 / 2.06.0842*	Neo Pendant Mini LH	Ø30 mm	312lm	Black	3000K	>90Ra	Passive	8W	30°
2.06.0827 / 2.06.0843*	Neo Pendant Medium	Ø52 mm	1134lm	White	2700K	>90Ra	Passive	19W	30°
2.06.0828 / 2.06.0844*	Neo Pendant Medium	Ø52 mm	1134lm	Black	2700K	>90Ra	Passive	19W	30°
2.06.0829 / 2.06.0845*	Neo Pendant Medium	Ø52 mm	1219lm	White	3000K	>90Ra	Passive	19W	30°
2.06.0830 / 2.06.0846*	Neo Pendant Medium	Ø52 mm	1219lm	Black	3000K	>90Ra	Passive	19W	30°
2.06.0804 / 2.06.0812*	Arcano Pendant Ball Light	Ø180 mm	2140lm	Black	2700K	>90Ra	Passive	28W	Opal
2.06.0806 / 2.06.0814*	Arcano Pendant Ball Light	Ø180 mm	2181lm	Black	3000K	>90Ra	Passive	28W	Opal

Article No. White* indicates that the luminaire is DALI Dimmable.

Pendant Lights Accessories

Article No.	Product Name
2.01.1084	Golden Inner Ring for Arcano Pendant Mini LH Ø30
2.01.1086	Golden Inner Ring for Arcano Pendant Medium Ø52
5.14.0246	Lens 50° for Arcano Pendant Mini LH Ø30 mm
5.14.0247	Lens 15° for Arcano Pendant Medium Ø52 mm
5.14.0249	Lens 50° for Arcano Pendant Medium Ø52 mm


Pendant Lights Accessories | Available for Ø30 / Ø52 Pendant Lights



50° Lens
for Ø30



15° / 50° Lens
for Ø52



Golden Inner Ring
for Ø30 / Ø52

CASAMBI

The Casambi technology can be integrated into our nuudo. luminaires. Casambi enables remote control of lighting through an optimal bluetooth connection. The Casambi app works with iOS as well as Android devices, like smartphones and tablets. The app is free to download by any end-user. This smart lighting solution is ideal in terms of ease of installation and functionality, with minimal additional hardware and deployment costs.



Article number	Description	Other
2.11.6987	Neo In M Casambi 1000 927 Medium White/White	Trimless incl. driver Casambi dimmable extern
2.11.6988	Neo In M Casambi 1000 927 Medium White/Black	Trimless incl. driver Casambi dimmable extern
2.11.6989	Neo In M Casambi 1000 927 Medium Black/White	Trimless incl. driver Casambi dimmable extern
2.11.6990	Neo In M Casambi 1000 927 Medium Black/Black	Trimless incl. driver Casambi dimmable extern
2.11.6991	Neo In M Casambi 1000 930 Medium White/White	Trimless incl. driver Casambi dimmable extern
2.11.6992	Neo In M Casambi 1000 930 Medium White/Black	Trimless incl. driver Casambi dimmable extern
2.11.6993	Neo In M Casambi 1000 930 Medium Black/White	Trimless incl. driver Casambi dimmable extern
2.11.6994	Neo In M Casambi 1000 930 Medium Black/Black	Trimless incl. driver Casambi dimmable extern
2.11.7019	Neo In L Casambi 1500 927 Medium White/White	Trimless incl. driver Casambi dimmable extern
2.11.7020	Neo In L Casambi 1500 927 Medium White/Black	Trimless incl. driver Casambi dimmable extern
2.11.7021	Neo In L Casambi 1500 927 Medium Black/White	Trimless incl. driver Casambi dimmable extern
2.11.7022	Neo In L Casambi 1500 927 Medium Black/Black	Trimless incl. driver Casambi dimmable extern
2.11.7023	Neo In L Casambi 1500 930 Medium White/White	Trimless incl. driver Casambi dimmable extern
2.11.7024	Neo In L Casambi 1500 930 Medium White/Black	Trimless incl. driver Casambi dimmable extern
2.11.7025	Neo In L Casambi 1500 930 Medium Black/White	Trimless incl. driver Casambi dimmable extern
2.11.7026	Neo In L Casambi 1500 930 Medium Black/Black	Trimless incl. driver Casambi dimmable extern
2.11.7075	Neo In M Casambi 1000 927 Medium White/White/White	incl. driver Casambi dimmable extern
2.11.7076	Neo In M Casambi 1000 927 Medium White/White/Black	incl. driver Casambi dimmable extern
2.11.7077	Neo In M Casambi 1000 927 Medium White/Black/White	incl. driver Casambi dimmable extern
2.11.7078	Neo In M Casambi 1000 927 Medium White/Black/Black	incl. driver Casambi dimmable extern
2.11.7079	Neo In M Casambi 1000 927 Medium Black/White/White	incl. driver Casambi dimmable extern
2.11.7080	Neo In M Casambi 1000 927 Medium Black/White/Black	incl. driver Casambi dimmable extern
2.11.7081	Neo In M Casambi 1000 927 Medium Black/Black/White	incl. driver Casambi dimmable extern
2.11.7082	Neo In M Casambi 1000 927 Medium Black/Black/Black	incl. driver Casambi dimmable extern
2.11.7083	Neo In M Casambi 1000 930 Medium White/White/White	incl. driver Casambi dimmable extern
2.11.7084	Neo In M Casambi 1000 930 Medium White/White/Black	incl. driver Casambi dimmable extern
2.11.7085	Neo In M Casambi 1000 930 Medium White/Black/White	incl. driver Casambi dimmable extern
2.11.7086	Neo In M Casambi 1000 930 Medium White/Black/Black	incl. driver Casambi dimmable extern
2.11.7087	Neo In M Casambi 1000 930 Medium Black/White/White	incl. driver Casambi dimmable extern
2.11.7087	Neo In M Casambi 1000 930 Medium Black/White/White	incl. driver Casambi dimmable extern
2.11.7088	Neo In M Casambi 1000 930 Medium Black/White/Black	incl. driver Casambi dimmable extern
2.11.7089	Neo In M Casambi 1000 930 Medium Black/Black/White	incl. driver Casambi dimmable extern
2.11.7090	Neo In M Casambi 1000 930 Medium Black/Black/Black	incl. driver Casambi dimmable extern
2.11.7139	Neo In L Casambi 1500 927 Medium White/White/White	incl. driver Casambi dimmable extern
2.11.7140	Neo In L Casambi 1500 927 Medium White/White/Black	incl. driver Casambi dimmable extern
2.11.7141	Neo In L Casambi 1500 927 Medium White/Black/White	incl. driver Casambi dimmable extern
2.11.7142	Neo In L Casambi 1500 927 Medium White/Black/Black	incl. driver Casambi dimmable extern
2.11.7143	Neo In L Casambi 1500 927 Medium Black/White/White	incl. driver Casambi dimmable extern
2.11.7144	Neo In L Casambi 1500 927 Medium Black/White/Black	incl. driver Casambi dimmable extern
2.11.7145	Neo In L Casambi 1500 927 Medium Black/Black/White	incl. driver Casambi dimmable extern
2.11.7146	Neo In L Casambi 1500 927 Medium Black/Black/Black	incl. driver Casambi dimmable extern

Article number	Description	Other
2.11.7147	Neo In L Casambi 1500 930 Medium White/White/White	incl. driver Casambi dimmable extern
2.11.7148	Neo In L Casambi 1500 930 Medium White/White/Black	incl. driver Casambi dimmable extern
2.11.7149	Neo In L Casambi 1500 930 Medium White/Black/White	incl. driver Casambi dimmable extern
2.11.7150	Neo In L Casambi 1500 930 Medium White/Black/Black	incl. driver Casambi dimmable extern
2.11.7151	Neo In L Casambi 1500 930 Medium Black/White/White	incl. driver Casambi dimmable extern
2.11.7152	Neo In L Casambi 1500 930 Medium Black/White/Black	incl. driver Casambi dimmable extern
2.11.7153	Neo In L Casambi 1500 930 Medium Black/Black/White	incl. driver Casambi dimmable extern
2.11.7154	Neo In L Casambi 1500 930 Medium Black/Black/Black	incl. driver Casambi dimmable extern
2.11.7167	Neo Point S Casambi 400 927 Medium White	incl. driver Casambi dimmable extern
2.11.7168	Neo Point S Casambi 400 927 Medium Black	incl. driver Casambi dimmable extern
2.11.7169	Neo Point S Casambi 400 930 Medium White	incl. driver Casambi dimmable extern
2.11.7170	Neo Point S Casambi 400 930 Medium Black	incl. driver Casambi dimmable extern
2.11.7183	Neo Point M Casambi 1000 927 Medium White	incl. driver Casambi dimmable extern
2.11.7184	Neo Point M Casambi 1000 927 Medium Black	incl. driver Casambi dimmable extern
2.11.7185	Neo Point M Casambi 1000 930 Medium White	incl. driver Casambi dimmable extern
2.11.7186	Neo Point M Casambi 1000 930 Medium Black	incl. driver Casambi dimmable extern
2.11.7203	Neo Point L Casambi 1500 927 Medium White	incl. driver Casambi dimmable extern
2.11.7204	Neo Point L Casambi 1500 927 Medium Black	incl. driver Casambi dimmable extern
2.11.7205	Neo Point L Casambi 1500 930 Medium White	incl. driver Casambi dimmable extern
2.11.7206	Neo Point L Casambi 1500 930 Medium Black	incl. driver Casambi dimmable extern
2.11.7223	Neo Point XL Casambi 2500 927 Medium White	incl. driver Casambi dimmable extern
2.11.7224	Neo Point XL Casambi 2500 927 Medium Black	incl. driver Casambi dimmable extern
2.11.7225	Neo Point XL Casambi 2500 930 Medium White	incl. driver Casambi dimmable extern
2.11.7226	Neo Point XL Casambi 2500 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4061	Neo On M Casambi 1000 927 Medium White	incl. driver Casambi dimmable extern
2.17.4062	Neo On M Casambi 1000 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4063	Neo On M Casambi 1000 930 Medium White	incl. driver Casambi dimmable extern
2.17.4064	Neo On M Casambi 1000 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4081	Neo On L Casambi 1500 927 Medium White	incl. driver Casambi dimmable extern
2.17.4082	Neo On L Casambi 1500 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4083	Neo On L Casambi 1500 930 Medium White	incl. driver Casambi dimmable extern
2.17.4084	Neo On L Casambi 1500 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4101	Neo On XL Casambi 2500 927 Medium White	incl. driver Casambi dimmable extern
2.17.4102	Neo On XL Casambi 2500 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4103	Neo On XL Casambi 2500 930 Medium White	incl. driver Casambi dimmable extern
2.17.4104	Neo On XL Casambi 2500 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4117	Neo On Aim M Casambi 1000 927 Medium White	incl. driver Casambi dimmable extern

Article number	Description	Other
2.17.4118	Neo On Aim M Casambi 1000 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4119	Neo On Aim M Casambi 1000 930 Medium White	incl. driver Casambi dimmable extern
2.17.4120	Neo On Aim M Casambi 1000 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4137	Neo On Aim L Casambi 1500 927 Medium White	incl. driver Casambi dimmable extern
2.17.4138	Neo On Aim L Casambi 1500 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4139	Neo On Aim L Casambi 1500 930 Medium White	incl. driver Casambi dimmable extern
2.17.4140	Neo On Aim L Casambi 1500 930 Medium Black	incl. driver Casambi dimmable extern
2.17.4157	Neo On Aim XL Casambi 2500 927 Medium White	incl. driver Casambi dimmable extern
2.17.4158	Neo On Aim XL Casambi 2500 927 Medium Black	incl. driver Casambi dimmable extern
2.17.4159	Neo On Aim XL Casambi 2500 930 Medium White	incl. driver Casambi dimmable extern
2.17.4160	Neo On Aim XL Casambi 2500 930 Medium Black	incl. driver Casambi dimmable extern

Credits
VISUALS imore.
GRAPHIC DESIGN Studio Anouk Stoffels

Nijverheidsweg 2
2421LR Nieuwkoop
+31 (0)172 574500
info@nuudo.com
www.nuudo.com

nuudo. is part of the Lumiparts Group