

nuudo.

Pandion

02

Pandion

MINIMALISTIC ELEGANCE



Discover more

The Pandion range radiates elegance and minimalism. This nuudo. luminaire is enriched with impressive colour rendering and provides the highest level of comfort, fully reflecting the minimalist design of the Pandion.


The design of the Pandion can be put together as desired by means of the various colour options. The fittings from the Pandion range are available in black or white and these can be combined with a gold, silver, black or white reflector. The various sizes make the Pandion suitable for general lighting or accent lighting. The Pandion is available with 3, 5 or 10 light points, which makes it possible to combine these variants and create an unforgettable, artistic light creation.

With its elegant and minimalist design, the Pandion forms a unique eye-catcher and was especially designed to be used in luxury hotels, restaurants or homes.

"The comfort that these fixtures provide is top notch. We wanted to give our visitors the feeling of coming home, and the lighting certainly contributes to this. It's also handy and user-friendly that the fixtures can be controlled by multiple users via the Casambi app. This way, we can adjust the light to suit every occasion." - Delighted client



Pandion IN




Discover more

Product information

Input voltage	230V
Power	up to 20,8W
Lumen output	up to 1783lm
Efficacy	up to 86lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS

Dimensions



Product Name	Housing Color	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CCT	CRI	System Lumen	System power	System Efficacy	Lens
Pandion In S	White	2.11.7305 2.11.7369*	2.11.7307 2.11.7371*	2.11.7309 2.11.7373*	2.11.7311 2.11.7375*	2700K	>90Ra	565lm	8,5W	66lm/W	40°
Pandion In S	Black	2.11.7313 2.11.7377*	2.11.7315 2.11.7379*	2.11.7317 2.11.7381*	2.11.7319 2.11.7383*	2700K	>90Ra	565lm	8,5W	66lm/W	40°
Pandion In S	White	2.11.7321 2.11.7385*	2.11.7323 2.11.7387*	2.11.7325 2.11.7389*	2.11.7327 2.11.7391*	3000K	>90Ra	614lm	8,7W	70lm/W	40°
Pandion In S	Black	2.11.7329 2.11.7393*	2.11.7331 2.11.7395*	2.11.7333 2.11.7397*	2.11.7335 2.11.7399*	3000K	>90Ra	614lm	8,7W	70lm/W	40°
Pandion In M	White	2.11.7433 2.11.7497*	2.11.7435 2.11.7499*	2.11.7437 2.11.7501*	2.11.7439 2.11.7503*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M	Black	2.11.7441 2.11.7505*	2.11.7443 2.11.7507*	2.11.7445 2.11.7509*	2.11.7447 2.11.7511*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M	White	2.11.7449 2.11.7513*	2.11.7451 2.11.7515*	2.11.7453 2.11.7517*	2.11.7455 2.11.7519*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In M	Black	2.11.7457 2.11.7521*	2.11.7459 2.11.7523*	2.11.7461 2.11.7525*	2.11.7463 2.11.7527*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In L	White	2.11.7817 2.11.7881*	2.11.7819 2.11.7883*	2.11.7821 2.11.7885*	2.11.7823 2.11.7887*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L	Black	2.11.7825 2.11.7889*	2.11.7827 2.11.7891*	2.11.7829 2.11.7893*	2.11.7831 2.11.7895*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L	White	2.11.7833 2.11.7897*	2.11.7835 2.11.7899*	2.11.7837 2.11.7901*	2.11.7839 2.11.7903*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°
Pandion In L	Black	2.11.7841 2.11.7905*	2.11.7843 2.11.7907*	2.11.7845 2.11.7909*	2.11.7847 2.11.7911*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°


Article No. With * indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name
5.14.0303	Reflector 24° for LED spotlight Pandion 3-lights
5.14.0305	Reflector 24° for LED spotlight Pandion 5-lights



Pandion IN TILTABLE




Product information

Input voltage	230V
Power	up to 20,8W
Lumen output	up to 1783lm
Efficacy	up to 86lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS



Discover more

Dimensions



Product Name	Housing Color	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CCT	CRI	System Lumen	System Power	System Efficacy	Lens
Pandion In M Tilttable	White	2.11.7561 2.11.7625*	2.11.7563 2.11.7627*	2.11.7565 2.11.7629*	2.11.7567 2.11.7631*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M Tilttable	Black	2.11.7569 2.11.7633*	2.11.7571 2.11.7635*	2.11.7573 2.11.7637*	2.11.7575 2.11.7639*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M Tilttable	White	2.11.7577 2.11.7641*	2.11.7579 2.11.7643*	2.11.7581 2.11.7645*	2.11.7583 2.11.7647*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In M Tilttable	Black	2.11.7585 2.11.7649*	2.11.7587 2.11.7651*	2.11.7589 2.11.7653*	2.11.7591 2.11.7655*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In L Tilttable	White	2.11.7945 2.11.8009*	2.11.7947 2.11.8011*	2.11.7949 2.11.8013*	2.11.7951 2.11.8015*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L Tilttable	Black	2.11.7953 2.11.8017*	2.11.7955 2.11.8019*	2.11.7957 2.11.8021*	2.11.7959 2.11.8023*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L Tilttable	White	2.11.7961 2.11.8025*	2.11.7963 2.11.8027*	2.11.7965 2.11.8029*	2.11.7967 2.11.8031*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°
Pandion In L Tilttable	Black	2.11.7969 2.11.8033*	2.11.7971 2.11.8035*	2.11.7973 2.11.8037*	2.11.7975 2.11.8039*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°


Article No. With * indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name
5.14.0303	Reflector 24° for LED spotlight Pandion 3-lights
5.14.0305	Reflector 24° for LED spotlight Pandion 5-lights



Pandion IN TRIMLESS




Product information

Input voltage	230V
Power	20,8W
Lumen output	up to 1783lm
Efficacy	up to 86lm/W
CRI	>90Ra
Lens	40° included also available as 24°
CCT	2700K 3000K
Available housing color	White Black
Certification	CE/ROHS



Discover more

Dimensions



*Plaser frame included

Product Name	Housing Color	Reflector Gold	Reflector Matt	Reflector White	Reflector Black	CCT	CRI	System Lumen	System Power	System Efficacy	Lens
Pandion In M Trimless	White	2.11.7689 2.11.7753*	2.11.7691 2.11.7755*	2.11.7693 2.11.7757*	2.11.7695 2.11.7759*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M Trimless	Black	2.11.7697 2.11.7761*	2.11.7699 2.11.7763*	2.11.7701 2.11.7765*	2.11.7703 2.11.7767*	2700K	>90Ra	921lm	12,7W	72lm/W	40°
Pandion In M Trimless	White	2.11.7705 2.11.7769*	2.11.7707 2.11.7771*	2.11.7709 2.11.7773*	2.11.7711 2.11.7775*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In M Trimless	Black	2.11.7713 2.11.7777*	2.11.7715 2.11.7779*	2.11.7717 2.11.7781*	2.11.7719 2.11.7783*	3000K	>90Ra	986lm	12,7W	78lm/W	40°
Pandion In L Trimless	White	2.11.8073 2.11.8137*	2.11.8075 2.11.8139*	2.11.8077 2.11.8141*	2.11.8079 2.11.8143*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L Trimless	Black	2.11.8081 2.11.8145*	2.11.8083 2.11.8147*	2.11.8085 2.11.8149*	2.11.8087 2.11.8151*	2700K	>90Ra	1688lm	20,8W	81lm/W	40°
Pandion In L Trimless	White	2.11.8089 2.11.8153*	2.11.8091 2.11.8155*	2.11.8093 2.11.8157*	2.11.8095 2.11.8159*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°
Pandion In L Trimless	Black	2.11.8097 2.11.8161*	2.11.8099 2.11.8163*	2.11.8101 2.11.8165*	2.11.8103 2.11.8167*	3000K	>90Ra	1783lm	20,8W	86lm/W	40°

Article No. With * indicates that the luminaire is DALI Dimmable.

Adjustable Accessories

Article No.	Product Name
5.14.0303	Reflector 24° for LED spotlight Pandion 3-lights
5.14.0305	Reflector 24° for LED spotlight Pandion 5-lights



