

nuudo.

Arcano

04 Arcano 48V

MODULAR PERFECTION



Discover more

Modular Perfection. Meet Arcano, the epitome of refinement, in a sleek black and white modular 48V DC track system. Choose from the built-in, surface-mounted, or suspended version, and unlock a world of possibilities. With Arcano, the entire track becomes a canvas for creativity, allowing for the placement of various impeccable products.

Experience the power of directional spotlights, available in a variety of sizes and light outputs, offering unparalleled versatility. And for a touch of grandeur, our pendant luminaires come in the shape of both a tube and a sphere, with the sphere version thoughtfully designed to be tilted, allowing you to create the perfect lighting atmosphere.


The Arcano track system gracefully adapts to any environment, whether it be retail, hospitality, or residential and office spaces, emanating a sense of homely warmth and hospitality. Embrace the art of impeccable lighting with Arcano - where beauty, flexibility, and functionality harmoniously converge.





Arcano


SURFACE MOUNTED TRACK



Product information

Input voltage	DC48V
Max. load	up to 450W
Max. track length	up to 20m
Track sections	1m / 2m / 3m
Available color	White / Black
Certification	CE / ROHS

Dimensions



Track Accessories | Available for surface mounted track



Track

Article No.	Product Name	Color	Voltage	Length
1.09.0032	Arcano Surface Mounted Track	White	DC48V	1 meter
1.09.0033	Arcano Surface Mounted Track	Black	DC48V	1 meter
1.09.0034	Arcano Surface Mounted Track	White	DC48V	2 meter
1.09.0035	Arcano Surface Mounted Track	Black	DC48V	2 meter
1.09.0036	Arcano Surface Mounted Track	White	DC48V	3 meter
1.09.0037	Arcano Surface Mounted Track	Black	DC48V	3 meter


Track Accessories

Article No.	Product Name	Color	Length
1.01.0262	Live end / Track Connector (connection plate included)	Black	
1.01.0263	Live end With cable	Black	3 meter
1.01.0256	L-joint 90° for Arcano Surface Mounted Track	White	
1.01.0257	L-joint 90° for Arcano Surface Mounted Track	Black	
1.01.0258	Wall/Wall Connector (in) for Arcano Surface Mounted Track (connection plates included)	White	
1.01.0259	Wall/Wall Connector (in) for Arcano Surface Mounted Track (connection plates included)	Black	
1.01.0260	Wall/Wall Connector (out) for Arcano Surface Mounted Track (connection plates included)	White	
1.01.0261	Wall/Wall Connector (out) for Arcano Surface Mounted Track (connection plates included)	Black	
1.01.0272	Flexible Track Connector	White	
1.01.0273	Flexible Track Connector	Black	
1.01.0270	Endcap	White	
1.01.0271	Endcap	Black	
1.01.0274	Suspension Kit for Arcano Surface Mounted Track (set of 2)	Nickel	1.5 meter
1.01.0275	Suspension Kit for Arcano Surface Mounted Track (set of 2)	Black	1.5 meter
1.01.0264	Track Cover	White	1 meter
1.01.0265	Track Cover	Black	1 meter
1.01.0266	Track Cover	White	2 meter
1.01.0267	Track Cover	Black	2 meter
1.01.0268	Track Cover	White	3 meter
1.01.0269	Track Cover	Black	3 meter


Arcano

SURFACE MOUNTED TRACK INSTALLATION

Square installation



Hexagonal installation



Track Parts | Suitable for square installation



L-joint 90°



Connector



T-splitter
(left / right)




X-joint

Track Parts

Article No.	Product Name	Color	Article No.	Product Name	Color
1.01.0289	L-joint 90°	White	1.01.0303	T-splitter (right)	White
1.01.0290	L-joint 90°	Black	1.01.0304	T-splitter (right)	Black
1.01.0295	Connector	White	1.01.0297	X-joint	White
1.01.0296	Connector	Black	1.01.0298	X-joint	Black
1.01.0301	T-splitter (left)	White			
1.01.0302	T-splitter (left)	Black			

Dimensions



Track Parts | Suitable for hexagonal installation



Corner Piece 2-fold



Connector



Corner Piece 3-fold




Center Piece


Track Parts

Article No.	Product Name	Color	Article No.	Product Name	Color
1.01.0291	Corner Piece 2-fold	White	1.01.0293	Corner Piece 3-fold	White
1.01.0292	Corner Piece 2-fold	Black	1.01.0294	Corner Piece 3-fold	Black
1.01.0295	Connector	White	1.01.0299	Center Piece	White
1.01.0296	Connector	Black	1.01.0300	Center Piece	Black

Dimensions




Arcano RECESSED TRACK




Product information

Input voltage	DC48V
Max. load	up to 450W
Max. track length	up to 20m
Track sections	1m / 3m
Available color	White / Black
Certification	CE / ROHS

Dimensions



Track accessories | Available for recessed track



Track

Article No.	Product Name	Color	Voltage	Length
1.09.0038	Arcano Recessed Track	White	DC48V	1 meter
1.09.0039	Arcano Recessed Track	Black	DC48V	1 meter
1.09.0040	Arcano Recessed Track	White	DC48V	2 meter
1.09.0041	Arcano Recessed Track	Black	DC48V	2 meter
1.09.0042	Arcano Recessed Track	White	DC48V	3 meter
1.09.0043	Arcano Recessed Track	Black	DC48V	3 meter


Track Accessories

Article No.	Product Name	Color	Length
1.01.0262	Live End / Track Connector (1 connection plate included)	Black	
1.01.0276	Connection plate	Black	
1.01.0263	Live End With cable	Black	3 meter
1.01.0277	L-joint 90° for Arcano Recessed Track	White	
1.01.0278	L-joint 90° for Arcano Recessed Track	Black	
1.01.0279	Wall/Wall Connector (in) for Arcano Recessed Track (connection plates included)	White	
1.01.0280	Wall/Wall Connector (in) for Arcano Recessed Track (connection plates included)	Black	
1.01.0281	Wall/Wall Connector (out) for Arcano Recessed Track (connection plates included)	White	
1.01.0282	Wall/Wall Connector (out) for Arcano Recessed Track (connection plates included)	Black	
1.01.0272	Flexible Track Connector	White	
1.01.0273	Flexible Track Connector	Black	
1.01.0270	Endcap	White	
1.01.0271	Endcap	Black	
1.01.0264	Track Cover	White	1 meter
1.01.0265	Track Cover	Black	1 meter
1.01.0266	Track Cover	White	2 meter
1.01.0267	Track Cover	Black	2 meter
1.01.0268	Track Cover	White	3 meter
1.01.0269	Track Cover	Black	3 meter



Arcano

ADJUSTABLE TRACK LIGHTS




Discover more

Product information

Input voltage	DC48V
Power	up to 30W
Lumen output	up to 2250lm
Efficacy	up to 64lm / W
CRI	>90Ra
Lens	30° for Ø30 (included) 30° for Ø52 / Ø75 (included)
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS

Dimensions



Adjustable Track Lights

Article No.	Product Name	Color	CCT	CRI	Lumen	Power	Efficacy	Diameter	Lens
2.17.3015 / 2.17.3039*	Spotty Mini	White	2700K	>90Ra	406lm	8.6W	47lm/W	Ø30 mm	30°
2.17.3016 / 2.17.3040*	Spotty Mini	Black	2700K	>90Ra	406lm	8.6W	47lm/W	Ø30 mm	30°
2.17.3017 / 2.17.3041*	Spotty Mini	White	3000K	>90Ra	441lm	8.8W	50lm/W	Ø30 mm	30°
2.17.3018 / 2.17.3042*	Spotty Mini	Black	3000K	>90Ra	441lm	8.8W	50lm/W	Ø30 mm	30°
2.17.3031 / 2.17.3055*	Spotty Mini 2-Lights	White	2700K	>90Ra	2x 406lm	14W	2x 58lm/W	Ø30 mm	30°
2.17.3032 / 2.17.3056*	Spotty Mini 2-Lights	Black	2700K	>90Ra	2x 406lm	14W	2x 58lm/W	Ø30 mm	30°
2.17.3033 / 2.17.3057*	Spotty Mini 2-Lights	White	3000K	>90Ra	2x 441lm	14W	2x 63lm/W	Ø30 mm	30°
2.17.3034 / 2.17.3058*	Spotty Mini 2-Lights	Black	3000K	>90Ra	2x 441lm	14W	2x 63lm/W	Ø30 mm	30°
2.17.3019 / 2.17.3043*	Spotty Medium	White	2700K	>90Ra	1256lm	16.8W	78lm/W	Ø52 mm	30°
2.17.3020 / 2.17.3044*	Spotty Medium	Black	2700K	>90Ra	1256lm	16.8W	78lm/W	Ø52 mm	30°
2.17.3021 / 2.17.3045*	Spotty Medium	White	3000K	>90Ra	1322lm	17W	78lm/W	Ø52 mm	30°
2.17.3022 / 2.17.3046*	Spotty Medium	Black	3000K	>90Ra	1322lm	17W	78lm/W	Ø52 mm	30°
2.17.3023 / 2.17.3047*	Spotty Medium LH	White	2700K	>90Ra	1629lm	20.6W	79lm/W	Ø52 mm	30°
2.17.3024 / 2.17.3048*	Spotty Medium LH	Black	2700K	>90Ra	1629lm	20.6W	79lm/W	Ø52 mm	30°
2.17.3025 / 2.17.3049*	Spotty Medium LH	White	3000K	>90Ra	1753lm	20.6W	85lm/W	Ø52 mm	30°
2.17.3026 / 2.17.3050*	Spotty Medium LH	Black	3000K	>90Ra	1753lm	20.6W	85lm/W	Ø52 mm	30°
2.17.3029 / 2.17.3053*	Spotty Maxi	White	3000K	>90Ra	2347lm	29W	81lm/W	Ø75 mm	30°
2.17.3030 / 2.17.3054*	Spotty Maxi	Black	3000K	>90Ra	2347lm	29W	81lm/W	Ø75 mm	30°

Article No. With * indicates that the luminaire is DALI Dimmable.

Adjustable Track Lights Accessories

Article No.	Product Name	Article No.	Product Name
2.01.1084	Golden Inner Ring for Spotty Mini Ø30 mm	5.14.0246	Lens 50° for Spotty Mini Ø30 mm
2.01.1086	Golden Inner Ring for Spotty Medium Ø52 mm	5.14.0247	Lens 15° for Spotty Medium Ø52 mm
2.01.1088	Golden Inner Ring for Spotty Maxi Ø75 mm	5.14.0249	Lens 50° for Spotty Medium Ø52 mm
2.01.1152	Honeycomb Louvre for Spotty Medium Ø52 mm	5.14.0250	Lens 15° for Spotty Maxi Ø75 mm
2.01.1153	Honeycomb Louvre for Spotty Maxi Ø75 mm	5.14.0252	Lens 50° for Spotty Maxi Ø75 mm

Track Lights Accessories

Available for Ø30 / Ø52 / Ø75 mm tracklights.




50° Lens for Ø30



15° / 50° Lens for Ø52 / Ø75



Honeycomb for Ø52 / Ø75



Golden Inner Ring for Ø30 / Ø52 / Ø75

Arcano

FIXED TRACK LIGHTS




Product information

Input voltage	DC48V
System Power	4W
System Lumen	up to 226lm
Efficacy	up to 58lm / W
CRI	>90Ra
Lens	30° for Ø22 (included)
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS



Discover more

Dimensions




Ø22 Ø22

Fixed Track Lights

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Efficacy	Diameter	Lens
2.17.3035 / 2.17.3059*	Tuby Mini 2-Lights	White	2700K	>90Ra	195lm	4W	50lm/W	Ø22 mm	30°
2.17.3036 / 2.17.3060*	Tuby Mini 2-Lights	Black	2700K	>90Ra	195lm	4W	50lm/W	Ø22 mm	30°
2.17.3037 / 2.17.3061*	Tuby Mini 2-Lights	White	3000K	>90Ra	226lm	4W	58lm/W	Ø22 mm	30°
2.17.3038 / 2.17.3062*	Tuby Mini 2-Lights	Black	3000K	>90Ra	226lm	4W	58lm/W	Ø22 mm	30°

Article No. with * indicates that the luminaire is DALI Dimmable

Arcano LINEAR LIGHT



Linear Light (Lens Cover) | 12W

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Efficacy	Lens
2.17.3003 / 2.17.3009*	Arcano Linear Light 9-LED	Black	2700K	>90Ra	1070lm	11.4W	94lm/W	24°
2.17.3004 / 2.17.3010*	Arcano Linear Light 9-LED	Black	3000K	>90Ra	1181lm	11.4W	103lm/W	24°

Article No. with * indicates that the luminaire is DALI Dimmable.

Product information


Input voltage	DC48V
Power	12W
Lumen output	up to 1047lm
Efficacy	up to 87lm / W
CRI	>90Ra
Lens	24°
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS



Discover more

Linear Light | 12W

Dimensions





Arcano TILTABLE LINEAR LIGHT



Tilttable Linear Light (Lens Cover) | 11W

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Efficacy	Lens
2.17.3005 / 2.17.3011*	Arcano Linear Light 9-LED Tilttable	White	2700K	>90Ra	1070lm	11.4W	94lm/W	24°
2.17.3006 / 2.17.3012*	Arcano Linear Light 9-LED Tilttable	Black	2700K	>90Ra	1070lm	11.4W	94lm/W	24°
2.17.3007 / 2.17.3013*	Arcano Linear Light 9-LED Tilttable	White	3000K	>90Ra	1181lm	11.4W	103lm/W	24°
2.17.3008 / 2.17.3014*	Arcano Linear Light 9-LED Tilttable	Black	3000K	>90Ra	1181lm	11.4W	103lm/W	24°

Article No. with * indicates that the luminaire is DALI Dimmable.

Product information


Input voltage	DC48V
Power	11W
Lumen output	up to 1047lm
Efficacy	up to 87lm / W
CRI	>90Ra
Lens	24°
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS



Discover more


Tilttable Linear Light | 11W

Dimensions



Arcano

LINEAR LIGHT OPAL



powered by
TRIDONIC



Discover more

Product information

Input voltage	DC48V
System Power	up to 20,6W
System Lumen	up to 1853lm
Efficacy	up to 91lm / W
CRI	>80Ra
Beam angle	110°
CCT	2700K / 3000K
Available color	Black
Certification	CE / ROHS



Linear Light (Opal Cover)

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Efficacy
2.17.2991 / 2.17.2997*	Arcano Linear Light	Black	2700K	>80Ra	447lm	7W	64lm / W
2.17.2992 / 2.17.2998*	Arcano Linear Light	Black	3000K	>80Ra	489lm	7W	70lm / W
2.17.2993 / 2.17.2999*	Arcano Linear Light	Black	2700K	>80Ra	943lm	11,7W	80lm / W
2.17.2994 / 2.17.3000*	Arcano Linear Light	Black	3000K	>80Ra	1092lm	11,8W	93lm / W
2.17.2995 / 2.17.3001*	Arcano Linear Light	Black	2700K	>80Ra	1686lm	20,6W	82lm / W
2.17.2996 / 2.17.3002*	Arcano Linear Light	Black	3000K	>80Ra	1853lm	20,4W	91lm / W

Article No. with * indicates that the luminaire is DALI Dimmable.

Linear Light Opal| 6W / 11W / 18W

Dimensions





Arcano

PENDANT TRACK LIGHTS




Product information

Input voltage	DC48V
System Power	up to 19W
System Lumen	up to 1850lm
Efficacy	up to 90lm / W
CRI	>90Ra
Lens	30° for Ø30 (included) 30° for Ø52 (included)
CCT	2700K / 3000K
Available color	White / Black
Certification	CE / ROHS



Discover more

Dimensions



Cable: 2.5m included
Cable can be shortened
to desired length.

Pendant Track Lights

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Efficacy	Diameter	Lens
2.06.0815 / 2.06.0831*	Arcano Pendant Track Mini LH	White	2700K	>90Ra	581lm	8W	72lm/W	Ø30 mm	30°
2.06.0816 / 2.06.0832*	Arcano Pendant Track Mini LH	Black	2700K	>90Ra	581lm	8W	72lm/W	Ø30 mm	30°
2.06.0817 / 2.06.0833*	Arcano Pendant Track Mini LH	White	3000K	>90Ra	617lm	8W	77lm/W	Ø30 mm	30°
2.06.0818 / 2.06.0834*	Arcano Pendant Track Mini LH	Black	3000K	>90Ra	617lm	8W	77lm/W	Ø30 mm	30°
2.06.0819 / 2.06.0835*	Arcano Pendant Track Medium	White	2700K	>90Ra	1763lm	20,8W	85lm/W	Ø52 mm	30°
2.06.0820 / 2.06.0836*	Arcano Pendant Track Medium	Black	2700K	>90Ra	1763lm	20,8W	85lm/W	Ø52 mm	30°
2.06.0821 / 2.06.0837*	Arcano Pendant Track Medium	White	3000K	>90Ra	1850m	20,6W	90lm/W	Ø52 mm	30°
2.06.0822 / 2.06.0838*	Arcano Pendant Track Medium	Black	3000K	>90Ra	1850m	20,6W	90lm/W	Ø52 mm	30°

Article No. With * indicates that the luminaire is DALI Dimmable.

Pendant Track Lights Accessories

Article No.	Product Name
2.01.1084	Golden Inner Ring for Arcano Pendant Track Mini LH Ø30 mm
2.01.1086	Golden Inner Ring for Arcano Pendant Track Medium Ø52 mm
5.14.0246	Lens 50° for Arcano Pendant Track Mini LH Ø30 mm
5.14.0247	Lens 15° for Arcano Pendant Track Medium Ø52 mm
5.14.0249	Lens 50° for Arcano Pendant Track Medium Ø52 mm


Pendant Track Lights Accessories | Available for Ø30 / Ø52 Pendant Track Lights



50° Lens
for Ø30



15° / 50° Lens
for Ø52



Golden inner ring
for Ø30 / Ø52

Arcano PENDANT BALL TRACK LIGHT




Product information

Input voltage	DC48V
Power	31,7W
Lumen output	up to 2691lm
Efficacy	up to 86lm / W
CRI	>90Ra
Cover	Opal
CCT	2700K / 3000K
Available color	Black
Certification	CE / ROHS



Discover more

Dimensions



Cable: 2.5m
Cable can be shortened
to desired length.

Tilttable



Pendant Ball Track Light

Article No.	Product Name	Housing Color	CCT	CRI	Lumen	Power	Diameter	Cover
2.06.0800 / 2.06.0808*	Arcano Pendant Ball Track Light	Black	2700K	>90Ra	2492lm	31,7W	Ø180 mm	Opal
2.06.0802 / 2.06.0810*	Arcano Pendant Ball Track Light	Black	3000K	>90Ra	2691lm	31,7W	Ø180 mm	Opal


Article No. with * indicates that the luminaire is DALI Dimmable.

Arcano

IN-TRACK & REMOTE DRIVERS

In-Track Driver (300 cm cable included) | 75-150W

Dimensions



Arcano In-Track-Driver


Article No.	Product Name	Input Voltage	Output Voltage	Output Power	Housing Color
3.10.0779	LED Driver In-track CV Arcano DALI	230 AC	48V DC	Max. 150W	White
3.10.0783	LED Driver In-track CV Arcano CASAMBI	230 AC	48V DC	Max. 150W	White
3.10.0830	LED Driver In-track CV Arcano	230 AC	48V DC	Max. 150W	White
3.10.0780	LED Driver In-track CV Arcano DALI	230 AC	48V DC	Max. 150W	Black
3.10.0784	LED Driver In-track CV Arcano CASAMBI	230 AC	48V DC	Max. 150W	Black
3.10.0831	LED Driver In-track CV Arcano	230 AC	48V DC	Max. 150W	Black
3.10.0777	LED Driver In-track CV Arcano DALI	230 AC	48V DC	Max. 75W	White
3.10.0781	LED Driver In-track CV Arcano CASAMBI	230 AC	48V DC	Max. 75W	White
3.10.0828	LED Driver In-track CV Arcano	230 AC	48V DC	Max. 75W	White
3.10.0778	LED Driver In-track CV Arcano DALI	230 AC	48V DC	Max. 75W	Black
3.10.0782	LED Driver In-track CV Arcano CASAMBI	230 AC	48V DC	Max. 75W	Black
3.10.0829	LED Driver In-track CV Arcano	230 AC	48V DC	Max. 75W	Black

Product information

Input voltage	230V AC
Output voltage	48V DC
Power	Max. 450W (DALI max. 150W)
Available color	Black / Aluminium
Certification	CE / ROHS

In-Track Driver (300 cm cable included) | 100W

Dimensions



Arcano In-Track-Driver

Article No.	Product Name	Input Voltage	Output Voltage	Output Power	Housing Color
3.10.0607	LED Driver CV Arcano 48V DC 100W Cable 300cm	230 AC	48V DC	Max. 100W	Black
3.10.0638	LED Driver In-track CV Arcano 48V DC 100W White	230 AC	48V DC	Max. 100W	White

Remote Drivers (30cm cable included) | up to 450W

Dimensions




	A	B	C
75W	180	36	63
100W	199	36	63
150W	219	36	63
300W	246	40	77
480W	262	44	125
600W	280	49	144

Arcano Remote-Drivers

Article No.	Product Name	Input Voltage	Output Voltage	Output Power	Housing Color
3.10.0608	LED Driver CV Arcano 48V DC 75W Cable 30cm	230 AC	48V DC	Max. 75W	Aluminium
3.10.0609	LED Driver CV Arcano 48V DC 100W Cable 30cm	230 AC	48V DC	Max. 100W	Aluminium
3.10.0610	LED Driver CV Arcano 48V DC 150W Cable 30cm	230 AC	48V DC	Max. 150W	Aluminium
3.10.0612	LED Driver CV Arcano 48V DC 300W Cable 30cm	230 AC	48V DC	Max. 300W	Aluminium
3.10.0613	LED Driver CV Arcano 48V DC 480W Cable 30cm	230 AC	48V DC	Max. 480W	Aluminium

DALI Dimmable Drivers | up to 150W

Dimensions



Arcano DALI Dimmable -Drivers

Article No.	Product Name	Input Voltage	Output Voltage	Output Power	DALI Current Draw	Housing Color
3.10.0687	LED Driver CV Arcano LCU 48V DC 75W	230 AC	48V DC	Max. 75W	2mA	White
3.10.0688	LED Driver CV Arcano LCU 48V DC 150W	230 AC	48V DC	Max. 150W	2mA	White
3.10.0689*	LED Driver CV Arcano LCU Linear 48V DC 75W	230 AC	48V DC	Max. 75W	2mA	White
3.10.0690*	LED Driver CV Arcano LCU Linear 48V DC 150W	230 AC	48V DC	Max. 150W	2mA	White

Article No. With * indicates an "open frame" Without strain relief

Credits
VISUALS **imore.**
GRAPHIC DESIGN **Studio Anouk Stoffels**

Nijverheidsweg 2
2421LR Nieuwkoop
+31 (0)172 574500
info@nuudo.com
www.nuudo.com

nuudo. is part of the Lumiparts Group