

nuudo.

**Decorative
Spotlights**

06

Decorative Spotlights

Comfort & Relaxation



Discover more

Create emotions with the decorative spotlight series from nuudo. Specially designed for spaces where a welcoming feeling and a warm light image are desired. With its modular design and high-quality light image, this series responds to relaxation and comfort. The result is an oasis of calm upon entrance. These series like to contribute to special occasions by accentuating them, making them unforgettable. The combination of all this ensures satisfaction and note in places where relaxation and comfort are key, such as hotels, restaurants and residential projects.





Fondo

ROUND FIXED & TILTABLE




Discover more

Product information

System Power	12w
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	688lm 749lm 865lm
System Efficacy	56lm/W 61lm/W 70lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	44

Dimensions



Fondo Fixed

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.1849 / 2.11.1850*	Fondo Fixed	Grey	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1855 / 2.11.1856*	Fondo Fixed	White	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1861 / 2.11.1862*	Fondo Fixed	Black	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1851 / 2.11.1852*	Fondo Fixed	Grey	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1857 / 2.11.1858*	Fondo Fixed	White	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1863 / 2.11.1864*	Fondo Fixed	Black	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1853 / 2.11.1854*	Fondo Fixed	Grey	4000K	>90Ra	865lm	12W	38°	Ø 70mm
2.11.1859 / 2.11.1860*	Fondo Fixed	White	4000K	>90Ra	865lm	12W	38°	Ø 70mm
2.11.1865 / 2.11.1866*	Fondo Fixed	Black	4000K	>90Ra	865lm	12W	38°	Ø 70mm

Article No. with * indicates that the luminaire is DALI Dimmable.

Fondo Adjustable

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.1831 / 2.11.1832*	Fondo Tilttable	Grey	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1837 / 2.11.1838*	Fondo Tilttable	White	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1843 / 2.11.1844*	Fondo Tilttable	Black	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1833 / 2.11.1834*	Fondo Tilttable	Grey	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1839 / 2.11.1840*	Fondo Tilttable	White	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1845 / 2.11.1846*	Fondo Tilttable	Black	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1835 / 2.11.1836*	Fondo Tilttable	Grey	4000K	>90Ra	890lm	12W	24°	Ø 70mm
2.11.1841 / 2.11.1842*	Fondo Tilttable	White	4000K	>90Ra	890lm	12W	24°	Ø 70mm
2.11.1847 / 2.11.1848*	Fondo Tilttable	Black	4000K	>90Ra	890lm	12W	24°	Ø 70mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Vela

ROUND FIXED





Product information

System Power	12w
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	688lm 749lm 865lm
System Efficacy	56lm/W 61lm/W 70lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	IP44



Discover more

Dimensions



Vela Round Fixed

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.1957 / 2.11.1958*	Vela	Grey	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1963 / 2.11.1964*	Vela	White	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1969 / 2.11.1970*	Vela	Black	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1959 / 2.11.1960*	Vela	Grey	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1965 / 2.11.1966*	Vela	White	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1971 / 2.11.1972*	Vela	Black	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1961 / 2.11.1962*	Vela	Grey	4000K	>90Ra	865lm	12W	38°	Ø 75mm
2.11.1967 / 2.11.1968*	Vela	White	4000K	>90Ra	865lm	12W	38°	Ø 75mm
2.11.1973 / 2.11.1974*	Vela	Black	4000K	>90Ra	865lm	12W	38°	Ø 75mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Etage

SQUARE AND ROUND




Discover more

Product information

System Power	12.3W
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	700lm 740lm 790lm
System Efficacy	58lm/W 63lm/W 74lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	20

Dimensions



Etage Round

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.2011 / 2.11.2012*	Etage Round	Grey	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2017 / 2.11.2018*	Etage Round	White	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2023 / 2.11.2024*	Etage Round	Black	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2013 / 2.11.2014*	Etage Round	Grey	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2019 / 2.11.2020*	Etage Round	White	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2025 / 2.11.2026*	Etage Round	Black	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2015 / 2.11.2016*	Etage Round	Grey	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2021 / 2.11.2022*	Etage Round	White	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2027 / 2.11.2028*	Etage Round	Black	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm

Article No. with * indicates that the luminaire is DALI Dimmable.


Etage Square

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.2029 / 2.11.2030*	Etage Square	Grey	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2035 / 2.11.2036*	Etage Square	White	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2041 / 2.11.2042*	Etage Square	Black	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2031 / 2.11.2032*	Etage Square	Grey	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2037 / 2.11.2038*	Etage Square	White	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2043 / 2.11.2044*	Etage Square	Black	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2033 / 2.11.2034*	Etage Square	Grey	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2039 / 2.11.2040*	Etage Square	White	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2045 / 2.11.2046*	Etage Square	Black	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Dark TILTABLE




Discover more

Product information

System Power	9W
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	72lm 80lm 88lm
System Efficacy	8lm/W 9lm/W 10lm/W
LOR	Up to 40%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	20

Dimensions



Dark

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Cutout size
2.11.1795 / 2.11.1796*	Dark Round	Grey	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1801 / 2.11.1802*	Dark Round	White	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1807 / 2.11.1808*	Dark Round	Black	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1797 / 2.11.1798*	Dark Round	Grey	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1803 / 2.11.1804*	Dark Round	White	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1809 / 2.11.1810*	Dark Round	Black	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1813 / 2.11.1814*	Dark Oval	Grey	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1819 / 2.11.1820*	Dark Oval	White	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1825 / 2.11.1826*	Dark Oval	Black	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1815 / 2.11.1816*	Dark Oval	Grey	3000K	>90Ra	112lm	9W	Ø75mm
2.11.1821 / 2.11.1822*	Dark Oval	White	3000K	>90Ra	112lm	9W	Ø75mm
2.11.1827 / 2.11.1828*	Dark Oval	Black	3000K	>90Ra	112lm	9W	Ø75mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Credits
VISUALS imore.
GRAPHIC DESIGN Studio
Anouk Stoffels

Nijverheidsweg 2
2421LR Nieuwkoop
+31 (0)172 574500
info@nuudo.com
www.nuudo.com

nuudo. is part of the Lumiparts Group