



*Linear Led Strips  
for hospitality*

nuudo. is powered by Lumiparts

**nuudo.**



# Aves

Transform Any Space with Ease. With our dim-to-warm LED strip, ambiance is effortless to achieve. As you dim, watch the temperature shift, infusing warmth and depth into the room. With high color rendering and superior light quality, Aves D2W is perfect for hospitality and homes alike. Illuminate your world with Aves D2W and embrace the art of ambiance.

Dim to warm ledstrip Input voltage: 24V  
Real length: 4m  
Width: 12mm  
Max. connection length: 4 meters single ended  
LED/m: 224LED's/m  
Power/m: 11,52W/m  
Cutable length: every 14 LEDs (63mm)



1800 K - 2700 K



2200 K - 3000 K



max. 1000 lm/m



CRI 90



224LEDs/m



IP20



6,3 cm



# Trivi

Trivi, the pinnacle of design in LED technology. Its versatile spectrum, ranging from the gentle warmth of 1800 Kelvin to the crisp brilliance of 4000 Kelvin, offers a palette of possibilities to paint your surroundings with light.

Trivi doesn't just illuminate; it captivates with its seven distinct hues, each a stroke of brilliance waiting to be unleashed. With every cut, trimming 2.6 cm at a time, Trivi ensures that shadows fade into obscurity, leaving only pure, uninterrupted radiance in its wake.

Designer ledstrip Input voltage: 24V  
Reel length: 4m  
Width: 10mm  
Max. connection length: 4m  
Cuttable length: 7 LED's (26,3mm)  
LED/m: 266LED's/m  
Power/m: 16,42W/m



1800 K



2700 K



3500 K



2200 K



3000 K



4000 K



975-1445 lm/m



CRI 90



266LEDs/m



IP20



2,6 cm



2500 K

nuudo.



# Pluviam<sup>o</sup>

Your ultimate outdoor LED lighting solution. With a CRI of >90 and available in 2700K, 3000K, or 4000K variants, Pluviam ensures vibrant and accurate illumination. Its UV and seawater resistance guarantee durability in any outdoor setting. Choose from 112 or 176 LEDs per meter, with the flexibility to shorten the strip every 5cm to fit your exact specifications. Pluviam is designed to withstand the elements while providing superior lighting performance, making it the ideal choice for your outdoor lighting needs.


IP67 LEDSTRIP  
Input voltage 24V  
Real length 5m  
Width 12mm  
Max. connection length 5m  
Cuttable Length 5cm  
LED/m 112LED's/m 176LED's/m  
Power/m 4,8W/m 14,4W/m



2700 K



3000 K



4000 K



595-670lm/m  
1461-1746lm/m



CRI 90



112 | 176  
LED's/m



IP67



5 cm









# Micus

Micus represents cutting-edge advancements in LED strip technology, seamlessly producing a continuous stream of light. Utilizing COB technology, this LED strip delivers a consistent luminous line, eliminating any visible dots along the strip. Its design allows for effortless integration into various settings and enables installation within the slimmest LED profiles. Micus is offered in 2700K, 3000K, and 4000K variants, ensuring versatility to meet diverse lighting needs.

COB Ledstrip Input voltage: 24V

Real length role: 5m

Width: 8mm

Max. connection length: 5m

Cutttable length: 29,41 mm

LED/m: 544LED's/m

Power/m: 10W/m



2700 K



3000 K




4000 K



948-1046 lm/m



CRI 90



COB



IP20



2,9 cm



