

05

Versa

MODULAR FLEXIBILITY




Discover more


Create a truly unique lighting experience with our extensive range of inset options, including the sleek and modern wall washer model. Our customizable options allow you to change insets and lighting direction even after installation, so you can achieve the perfect atmosphere and light image for your space.

The modularity of the Versa series makes for versatile application. Various shapes and sizes combined with a broad color palette create unity in the interior.

The series enables you to create ambiance in a flexible way; the assembly is also characterized by convenience. Even after assembly, the system allows you to easily change the atmosphere.







Flexibility to create atmosphere

Versa 68MM

LED DOWNLIGHT | ADJUSTABLE













Product information

LED Power 11W
System Power 13W
CRI >90Ra

 CCT
 2700K / 3000K / 4000K


 System Lumen
 775lm / 800lm / 850lm

 System Efficiency
 up to 65lm / W

CE / ROHS

Dimensions

Certification



Accessory



Anti-glare accessory Honeycomb mesh

Trim









Trimless White

Round trim Black / White

Primary





24° / 40°

Primary Lens Available for Ø68 downlight.

Primary Reflector Available for Ø68 downlight.

Reflectors



Secondary Reflector (round adjustable) Available for Ø68 downlight.

Versa 68MM

LED DOWNLIGHT | ADJUSTABLE

















Product information

LED Power 11W
System Power 13W
CRI >90Ra


 CCT
 2700K / 3000K / 4000K

 System Lumen
 775lm / 800lm / 850lm

 System Efficiency
 up to 65lm / W

 Certification
 CE / ROHS

Dimensions



Accessory



Anti-glare accessory Honeycomb mesh

Trim









White

Square trim Black / White

Primary








55°

Primary Lens Available for Ø68 downlight.

Primary Reflector Available for Ø68 downlight.

Reflectors



Secondary Reflector (square adjustable) Available for Ø68 downlight.

Versa 68MM

LED DOWNLIGHT | ADJUSTABLE DOUBLE AND TRIPLE FRAME











Product information

LED Power $2 \times 11 \text{W} / 3 \times 11 \text{W}$ System Power $2 \times 13 \text{W} / 3 \times 13 \text{W}$

CRI >90F


 CCT
 2700K / 3000K / 4000K


 System Lumen (double)
 1550lm / 1600lm / 1700lm

 System Lumen (triple)
 2325lm / 2400lm / 2550lm

System Efficiency up to 65 lm / WCertification CE / ROHS

Dimensions





Accessory



Anti-glare accessory Honeycomb mesh

Trimless







Trimless White

Primary






24° / 40°

Primary Lens Available for Ø68 downlight.

00

Primary Reflector Available for Ø68 downlight.

Reflectors



Secondary Reflector (square adjustable) Available for Ø68 downlight.



Versa 100mm

LED DOWNLIGHT | ADJUSTABLE














Product information

LED Power 18W
System Power 22W
CRI >90Ra

CCT 2700K / 3000K / 4000K System Lumen 1050lm / 1100lm / 1200lm

System Efficiency up to 57lm / W
Certification CE / ROHS

Dimensions



Accessory



Anti-glare accessory Honeycomb mesh

Trim









White

Round trim Black / White

Anti-glare ring

Primary Reflector





20° / 40° / 50°

Anti-glare ring Included

Primary Reflector Available for Ø100 downlight.

Reflectors







Black Chrome

Dark Specular



Gold





White

Alu Matt

Secondary Reflector (round adjustable) Available for Ø100 downlight.

14 nuudo.



LED DOWNLIGHT | FIXED



















Product information


LED Power 18W
System Power 22W
CRI >90Ra

CCT 2700K / 3000K / 4000K System Lumen 1050lm / 1100lm / 1200lm

System Efficiency up to 57lm / W

Certification CE / ROHS

Dimensions



Accessory



Anti-glare accessory Honeycomb mesh

Trim









Trimless White

Round trim Black / White

Anti-glare ring

Primary Reflector





20° / 40° / 50°

Anti-glare ring Included

Primary Reflector Available for Ø100 downlight.

Reflectors







Black Chrome







White

Gold

Alu Matt

Secondary refector (round fixed) Available for Ø100 downlight.

LED DOWNLIGHT | ADJUSTABLE
















Product information

LED Power 18W System Power 22W CRI >90Ra

CCT 2700K / 3000K / 4000K System Lumen 1050lm / 1100lm / 1200lm

up to 57lm / W System Efficiency Certification CE / ROHS

Dimensions



Accessory



Anti-glare accessory Honeycomb mesh

Trim











Trimless White

Square trim Black / White

Anti-glare ring

Primary Reflector





20° / 40° / 50°

Anti-glare ring Included

Primary Reflector Available for Ø100 downlight.

Reflectors





Black Chrome





White

Gold

Alu Matt

Secondary Reflector (square adjustable) Available for Ø100 downlight.

21 20 nuudo.



LED DOWNLIGHT | FIXED
















Product information

LED Power 18W
System Power 22W
CRI >90Ra

CCT 2700K / 3000K / 4000K System Lumen 1150lm / 1200lm / 1300lm

System Efficiency up to 62lm / W
Certification CE / ROHS

Dimensions



Accessory



Anti-glare accessory Honeycomb mesh

Trim









Trimless White

Square trim Black / White

Anti-glare ring

Primary Reflector





20° / 40° / 50°

Anti-glare ring Included

Primary Reflector Available for Ø100 downlight.

Reflectors






Y

ick

Black Chrome







Dark Specular

Gold

Alu Matt

White

Secondary Reflector (square adjustable) Available for Ø100 downlight.

LED DOWNLIGHT | WALL WASHER






Discover more

Product information

LED Power 18W
System Power 22W
CRI >90Ra

CCT 2700 K / 3000 K / 4000 KSystem Lumen 625 lm / 650 lm / 700 lmSystem Efficiency up to 33 lm / WCertification CE / ROHS

Dimensions



Trim







Square trim Black / White

Trimless White

Reflectors






Asymmetric Reflector (matt) Available for Ø100 downlight.

26 nuudo. 27

LED DOWNLIGHT | WALL WASHER






Discover more

Product information

LED Power 18W
System Power 22W
CRI >90Ra

CCT 2700 K / 3000 K / 4000 KSystem Lumen 625 lm / 650 lm / 700 lmSystem Efficiency up to 33 lm / WCertification CE / ROHS

Dimensions



Trim







Round trim Black / White

Trimless White

Reflector






Wall Washer

Asymmetric Reflector Available for Ø100 downlight.







BUILD YOUR OWN



Discover more






BUILD YOUR OWN - EXAMPLE









Configuration example

Base Code	VR					
Size	S	М				
Shape	RT	ST				
Lights	1	2	3			
Trim	Т	Х				
Trim Color	W	В				
Beam Angle	2	4	5			
Reflector Color	В	W	G	D	М	С
Honeycomb	Н	Х				
CRI	9					
CCT	27	30	40			
LED Driver	N	Р	٧	D		

VR

Small / Medium

Round Tiltable / Square Tiltable

1-light / 2-light / 3-light

Trim / No Trim

White / Black

24° / 40°/ 55°

Black / White / Gold / Dark Specular / Alu Matt / Black Chrome

35

Honeycomb / No Honeycomb

90

2700K / 3000K / 4000K

Non-Dimmable / Phase Cut / 1-10V / Dali

Product code: VRSRT1TW2BH927N

Product image:



Credits VISUALS **imore.** GRAPHIC DESIGN **Studio Anouk Stoffel**s

Nijverheidsweg 2 2421LR Nieuwkoop +31 (0)172 574500 info@nuudo.com